

Index

Reactor Fuel Processing

Volume 5

Included in this issue is the index for Volume 5 of *Reactor Fuel Processing*. An index for this quarterly is prepared annually and appears in the final (Number 4) issue. A cumulative index for Volumes 4 to 6 will appear in the October 1963 issue. Here the bold numbers denote issues, and the other numbers denote pages.

A

Acetic acid, diethylene triamine penta-, cerium complexing, **2**: 56
 Acetic acid, ethylene diamine tetra-, iron complexing during rare-earth extraction, **2**: 56
 Acid Thorex process, **1**: 13
 Actinide-element fluorides
 See also the specific actinide-element fluorides, e.g., Thorium fluoride, Uranium fluorides (UF₄), etc.
 review on preparation and properties, **2**: 27
 Activation, uranium dioxide, **2**: 64-5
 uranium monocarbide by water vapor, **4**: 49
 uranium oxides before fluorination, **4**: 34
 uranium trioxide, **2**: 64-5; **4**: 76-7
 Adakane-12, diluent use in solvent extraction, **4**: 15
 solvent properties, **3**: 12
 Adsorption, ground disposal of waste, **2**: 55
 waste-decontamination applications using minerals, **2**: 48-9
 waste-disposal applications, **1**: 57-9; **4**: 56-8
 ADU process, **2**: 62
 Aging, effects on uranium monocarbide reaction rates, **2**: 36-7
 Alloy 79-4, corrosion by fused salts, **4**: 31-2
 oxidation in high-temperature air, **4**: 31
 Alloy Reguline Chloride Oxidation process
 See ARCO process
 Alumina
 See Aluminum oxide
 Aluminum, dissolution by nitric acid-mercuric nitrate solution, **4**: 11
 dissolution by sodium hydroxide, **4**: 7-8
 electrolytic dissolution, **4**: 8-9
 shavings, radioisotope removal from Hanford reactor coolant using, **4**: 56-7
 solubility, **3**: 29
 solubility in liquid bismuth, **1**: 39
 solubility in liquid cadmium, **4**: 41
 Aluminum-cadmium system, distribution coefficients of various metals in, **4**: 41-2
 Aluminum chloride-cesium chloride systems (liquid), hexachlorouranate-ion stability in, **2**: 37
 Aluminum chloride-potassium chloride systems (liquid), hexachlorouranate-ion stability in, **2**: 37
 Aluminum fluoride, complexing with uranium fluorides, **3**: 27
 Aluminum-nickel alloys, corrosion, **4**: 31-2

Aluminum-nickel-plutonium alloys
 See Plutonium-aluminum-nickel alloys
 Aluminum-nickel-plutonium alloys (Zircaloy-4-clad)
 See Plutonium-aluminum-nickel alloys (Zircaloy-4-clad)
 Aluminum-nickel-silicon alloys, corrosion, **4**: 31-2
 Aluminum-nickel-silicon systems, corrosion, **1**: 45
 Aluminum nitrate-nitric acid-sodium fluoride systems
 See Nitric acid-aluminum nitrate-sodium fluoride systems
 Aluminum nitrate-nitric acid systems, corrosive effects, **2**: 19
 Aluminum nitrate solutions, calcination of wastes containing, **2**: 44; **4**: 58
 conversion to glasses, **4**: 63
 corrosive effects, **3**: 19
 solvent properties, **3**: 8
 Aluminum nitrate-uranyl nitrate hexahydrate-nitric acid systems
 See Uranyl nitrate hexahydrate-aluminum nitrate-nitric acid systems
 Aluminum oxide, **4**: 23
 coating of uranium dioxide, **2**: 63
 compatibility of Coors AD99 with molten phosphate glass, **2**: 47
 corrosion, **3**: 22
 crucibles for phosphate-glass production from wastes, **2**: 46-7
 fluidized particle bed, **4**: 32
 preparation from aluminum nitrate wastes, **2**: 44
 separation from plutonium, **4**: 33-4
 strontium removal from waste solutions using, **2**: 49-50
 transformation from amorphous to alpha structure, **2**: 46
 uranium monocarbide oxidation in air using, **2**: 36
 Aluminum oxide-uranium oxides (UO₂) systems
 See Uranium oxides (UO₂)-aluminum oxide systems
 Aluminum-plutonium alloys (aluminum-clad)
 See Plutonium-aluminum alloys (aluminum-clad)
 Aluminum shavings
 See Aluminum
 Aluminum-silicon alloys, dissolution by hydrochloric acid, **4**: 12

Aluminum-thorium alloys
 See Thorium-aluminum alloys
 Aluminum-uranium alloys
 See Uranium-aluminum alloys
 Alundum
 See also Aluminum oxide
 fluidized particle bed, **4**: 32
 Amalgams
 See Sodium amalgam
 Amberlite-200 resin, waste-disposal applications, **3**: 44-5
 Amberlite IR-120 resin, radioisotope removal from Purex waste using, **4**: 48, 56
 waste-disposal applications, **3**: 46
 Amberlite IRA-401 resin, Tc⁹⁹ extraction using, **2**: 56
 Americium, effect on plutonium(IV) solvent extraction, **4**: 15
 separation, **3**: 12-13; **4**: 16
 Amines
 See Dipicryl amine, Triisooctyl amine, Tri-n-octyl amine, and Trilauryl amine
 Amines, tertiary, extraction of transuranium elements using, **4**: 16
 Ammonia, removal from Purex wastes by steam stripping, **2**: 48
 Ammoniation, uranyl nitrate liquor, effect on later activity of uranium trioxide, **2**: 65
 Ammonium bifluoride, leaching of uranium oxides (UO₂)-beryllium oxide systems, **1**: 12-13
 Ammonium diuranate, uranium dioxide production using, **2**: 62
 Ammonium fluoride, solvent properties, **2**: 7-8
 Ammonium fluoride-ammonium nitrate-hydrogen peroxide systems, corrosive effects, **2**: 15-19
 solvent properties, **2**: 8; **3**: 7-8
 Ammonium fluoride-ammonium nitrate systems, corrosion of Nionel alloy, **4**: 23
 solvent properties, **3**: 10; **4**: 10-11
 Ammonium fluoride-hydrogen peroxide systems, solvent properties, **3**: 7
 Ammonium fluoride-mercury nitrate [Hg(NO₃)₂]-nitric acid systems, solvent properties, **3**: 7
 Ammonium fluoride process, **4**: 10
 Ammonium nitrate-ammonium fluoride-hydrogen peroxide systems
 See Ammonium fluoride-ammonium nitrate-hydrogen peroxide systems

Ammonium nitrate-ammonium fluoride systems
See Ammonium fluoride-ammonium nitrate systems

Ammonium nitrate, tetraheptyl-, solvent properties, 3: 12-13
Ammonium phosphomolybdate, Ca^{137} removal by, 4: 68

Ammonium plutonyl fluorides, preparation, 4: 35

Anthraquinone, catalytic reduction of uranyl ion using, 4: 74

APDA Fast-Breeder Reactor
See Reactors (Enrico Fermi Fast-Breeder)

APM
See Ammonium phosphomolybdate

APPR
See Reactors (SM-1)

Aqua regia, dissolution of uranium dioxide-stainless steel alloys, 4: 11-12

Aqueous processing, 4: 7-28
economic evaluations, 4: 3-4

ARCO process, 3: 36; 4: 3

Army Package Power Reactor
See Reactors (SM-1)

Arsenic-76, removal from Hanford reactor coolant by aluminum shavings, 4: 57

Atmosphere, dispersal of radioactive waste, 2: 41-2

Autoradiography, uranium distribution studies, 2: 33

B

Barium, removal, 3: 28
removal by electrolytic process, 2: 36

removal by liquid alloy-eutectic system, 2: 30-1

removal by liquid-metal system, 4: 45

removal by melt-refining process, 4: 36

Barium chloride (liquid), graphite-crucible impregnation by, 4: 48-9

Barium chloride-lithium chloride-magnesium fluoride systems (liquid), solvent properties, 1: 45

Barium fluozirconate process, economic evaluation, 4: 3

Barium oxide-beryllium oxide-lanthanum oxide systems, melting point, 1: 38

Barium oxide-beryllium oxide systems, melting point, 1: 38

Baskets

See Containers

Belgium, Mol, fractional sublimation studies, 2: 26

Benzene, diluent use in tributyl phosphate extraction processes, 4: 15

Benzene, diethyl-, 4: 16

Berkelium, separation, 3: 12-13

solvent extraction, 4: 16

Beryllia

See Beryllium oxide

Beryllium, corrosion, 3: 33

dissolution by acids, 4: 8

metallurgy, 3: 30

recovery, 3: 23

solubility, 3: 29

Beryllium fluoride-lithium fluoride-sodium fluoride systems (liquid), corrosive effects with hydrofluoric acid sparge, 4: 31-2

Beryllium fluoride-lithium fluoride-sodium fluoride-zirconium fluoride systems (liquid), corrosive effects, 4: 31

Beryllium oxide, coating of uranium dioxide, 2: 63

compatibility with liquid metal-fused salt process solutions, 2: 33

compatibility with alkali reclamation process solutions, 4: 46

dissolution in fused-salt volatility process, 2: 25

Beryllium oxide-barium oxide-lanthanum oxide systems

See Barium oxide-beryllium oxide-lanthanum oxide systems

Beryllium oxide-barium oxide systems

See Barium oxide-beryllium oxide systems

Beryllium oxide-calcium oxide-lanthanum oxide systems, melting point, 1: 38

Beryllium oxide-calcium oxide-strontium oxide systems, melting point, 1: 38

Beryllium oxide-calcium oxide systems, melting point, 1: 38

uranium decontamination, 1: 38

Beryllium oxide-lanthanum oxide-strontium oxide systems, melting point, 1: 38

Beryllium oxide-lanthanum oxide systems, melting point, 1: 38

uranium decontamination, 1: 38

Beryllium oxide-strontium oxide systems, melting point, 1: 38

Beryllium oxide-uranium oxides (UO_2) systems

See Uranium oxides (UO_2)-beryllium oxide systems

Bibliographies, liquid metals, 4: 41

plutonium technology, 4: 38-9

stress-corrosion cracking of stainless steels, 4: 25

uranium carbides, 4: 78

Bio-Rad HZO-1, dibutyl phosphoric acid removal from solvent-extraction aqueous phase using, 4: 16

Biotites, strontium removal by, 2: 49

Bismuth (liquid), corrosive effects, 3: 33

density, 4: 41

solubility of uranium in, 4: 39

solvent properties, 1: 39; 3: 29

Bismuth-cerium-magnesium-zirconium alloys (liquid), solvent-extraction applications, 1: 44

Bismuth-copper systems (liquid), density, 4: 41

Bismuth fluorides, complexing with uranium fluorides, 3: 27

Bismuth-lead alloys (liquid), corrosive effects, 4: 46

Bismuth-magnesium-zirconium alloys (liquid), solvent properties, 3: 31

Bismuth-uranium alloys

See Uranium-bismuth alloys

Bismuth-uranium alloys (liquid)

See Uranium-bismuth alloys (liquid)

Bismuth-uranium-zirconium alloys

See Uranium-bismuth-zirconium alloys

Boiling Nuclear Superheater Reactor

See Reactors (BONUS)

Boiling point, platinum hexafluoride, 2: 27

review of liquid metals, 2: 30

BONUS Reactor

See Reactors (BONUS)

Borates, flux use in waste calcination, 2: 43

Boron nitride, corrosion by liquid magnesium-zinc systems, 2: 33

Breeding blankets, recovery, 3: 33

Breeding blankets (uranium-molybdenum alloy), dissolution, 1: 9-10

Bromine fluorides (BrF_3), heat of formation, 4: 35

Bromine fluorides (BrF_3), heat of formation, 4: 35

reaction with nitrosyl hexafluoroantimonate, 3: 22; 4: 30-1

Bromine fluorides (BrF_3), flow-rate instrumentation, 4: 18-19

heat of formation, 4: 35

preparation, 2: 27

reaction with nitrosyl hexafluoroantimonate, 3: 22

di-sec-Butylphenyl phosphonate, compared with TBP as solvent for uranium-thorium separation, 4: 14

C

Cadmium, solubility, 3: 31

solubility in liquid aluminum, 4: 41

Cadmium (liquid), distillation, 1: 44

solvent properties, 1: 39; 3: 29

uranium-silicon reactions in, 2: 66

Cadmium-cerium intermetallic compounds, phase studies, 4: 40

Cadmium-lanthanum alloys, phase diagrams, 3: 29

Cadmium-magnesium-zinc systems (liquid), corrosive effects on 405 stainless steel, 2: 33

Cadmium-praseodymium intermetallic compounds, 4: 40

phase studies, 2: 29-30

Cadmium-uranium alloys

See Uranium-cadmium alloys

Cadmium-uranium intermetallic compounds

See Uranium-cadmium intermetallic compounds

Cadmium-uranium systems (liquid)

See Uranium-cadmium systems (liquid)

Calcination, aqueous wastes in molten sulfur, 4: 58

batch processes, 2: 42-4; 4: 58-9

costs, 2: 42

Demonstrational Waste Calcining Facility, 2: 44-6; 4: 59-62

fluid-bed process, 2: 44-6; 4: 59

foaming problems, 2: 43

preconcentration, 2: 44

spray processes, 2: 44

stainless-steel corrosion problems, 2: 43

thorium oxide-uranium oxide particle production, 2: 69

waste processing, 1: 52-7; 3: 48-54

waste-solution corrosion studies, 4: 25-8

zirconium fuel wastes, 2: 46

Calcite, radioisotope removal, 4: 57

Calcite-Florida bed phosphate-pyrite mixtures, P^{32} removal from waste by, 4: 57

Calcite-Klaha bed phosphate-pyrite mixtures, P^{32} removal from waste by, 4: 57

Calcium alloys (liquid), corrosive effects, 1: 43

Calcium carbonate, strontium removal by, phosphate-ion effects, 2: 50

Calcium-lanthanum intermetallic compounds, phase studies, 2: 30

Calcium oxide-beryllium oxide-lanthanum oxide systems

See Beryllium oxide-calcium oxide-lanthanum oxide systems

Calcium oxide-beryllium oxide-strontium oxide systems

See Beryllium oxide-calcium oxide-strontium oxide systems

Calcium oxide-beryllium oxide systems

See Beryllium oxide-calcium oxide systems

Calcium-zinc alloys (liquid), extraction of plutonium, 1: 42

Californium, separation, 3: 12-13

solvent extraction, 4: 16

CANDU Reactor

See Reactors (CANDU)

Canisters

See Containers

Carbide fuel processing, 2: 35-7; 4: 49-50

Carbide-oxide-carbide process, 2: 35-6; 4: 49

Carbon

See also Graphite

coating of uranium carbides with, 4: 81

reaction with uranium dioxide to produce uranium monocarbide, 2: 65-6

reaction with uranium in liquid-metal systems, 2: 66

reaction with uranium nitrides, 1: 46

- Carbon oxides (CO), reduction processes using, 4: 75
- Carbon oxides (CO₂), reaction with uranium monocarbide, 2: 37
- Carbon tetrachloride, diluent use in tributyl phosphate extraction processes, 4: 15
- Carbon tetrachloride-chlorine-methane systems, uranium ore chlorination, 2: 61
- Carbon tetrachloride-methane systems, niobium oxide chlorination, 4: 33
- uranium chlorination, 4: 33
- zirconium oxide chlorination, 4: 33
- Carbon tetrachloride-nitrogen systems
- See also Uranium-carbon systems
- corrosive effects, 2: 17
- Carbothermic reduction, uranium monocarbide production from uranium dioxide, 4: 78-9
- Carolinas-Virginia Reactor
- See Reactors (Carolinas-Virginia)
- Carpenter-20 alloy, corrosion, 4: 23
- evaporation vessel use, 2: 47
- Carpenter-20Cb alloy, corrosion by hydrofluoric acid-hydrogen peroxide systems, 4: 24
- Casks
- See Containers
- Catalytic reduction process
- See Reduction processes
- Cathodic reduction
- See Reduction processes
- Centrifugation, fuel solutions prior to solvent extraction, 4: 12
- suspended waste removal, 4: 57-8
- Ceramic sponges, waste fixation in, 4: 63-4
- Cerium, extraction by liquid alloy-eutectic system, 2: 30-1
- extraction by liquid aluminum-cadmium system, 4: 41-2
- extraction by liquid lead-zinc system, 1: 40; 2: 30-1
- extraction by liquid metal-fused salt systems, 2: 32; 4: 43
- extraction by liquid-metal system, 4: 45
- extraction from Purex wastes, 2: 56
- removal, 1: 41; 2: 22; 3: 28
- removal by electrolytic process, 2: 36
- removal by melt-refining process, 4: 36
- removal from Purex wastes, 2: 48, 56
- removal from wastes, 1: 57-8; 62-3
- solubility, 3: 30-1
- Cerium (liquid), density, 1: 41; 3: 30
- Cerium-144, activity/particle-size relations for separated waste, 4: 58
- separation from wastes, 3: 58
- shipping, 4: 69
- Cerium-bismuth-magnesium-zirconium alloys
- See Bismuth-cerium-magnesium-zirconium alloys
- Cerium-cadmium intermetallic compounds
- See Cadmium-cerium intermetallic compounds
- Cerium carbides (Ce₂C₃), preparation, 1: 47
- Cerium-cobalt-plutonium alloys
- See Plutonium-cerium-cobalt alloys
- Cerium ions, complex formation in fused-salt systems, 4: 47
- Cerium-lanthanum intermetallic compounds, phase studies, 2: 30
- Cerium oxides, strontium removal from waste solutions, 2: 49
- Cesium, adsorption on clinoptilolite, 2: 48
- adsorption on phenolic resin, 2: 48
- incorporation into glass as heat or radiation source, 2: 47-8
- precipitation from Purex supernatant with ferrocyanide, 2: 58
- release during oxidation of uranium dioxide, 4: 34-5
- removal, 2: 22; 3: 28, 45
- removal in dissolver filtrate, 1: 11
- removal in uranium dioxide oxidation-reduction process, 4: 49
- removal by vermiculite columns, 2: 50
- removal from wastes, 1: 51, 57-8, 62-4; 2: 48, 56-7; 4: 56
- separation from wastes, 3: 57-8
- shipping, 2: 57-8
- sorption by natural organic materials, 2: 51
- volatility, 3: 52
- volatilization in melt-refining process, 4: 36
- Cesium-137, activity/particle-size relations for separated waste, 4: 58
- incorporation into glasses as radioactive sources, 4: 69
- recovery from Purex waste, 4: 68
- separation from wastes, 3: 57-8
- shipping containers, 4: 69
- Cesium chloride (liquid), hexachlorouranate ion stability in, 2: 37
- Cesium chloride-aluminum chloride systems (liquid)
- See Aluminum chloride-cesium chloride systems (liquid)
- Cesium chloride-plutonium chloride (PuCl₃) systems
- See Plutonium chloride (PuCl₃)-cesium chloride systems
- Cesium plutonyl fluorides, preparation, 4: 35
- CETR
- See Reactors (Indian Point Power)
- Chloride ion, effect on 304L stainless-steel corrosion in Darex dissolver solutions, 4: 20
- Chlorides, removal, 2: 9-10
- Chloride-volatility processes, 2: 25-6
- construction materials, 4: 21
- Chlorination processes, 4: 33
- monazite, 2: 68
- stainless steels, 1: 35-7
- uranium ores, 2: 61
- Chlorine, corrosive effects, 1: 36; 2: 17
- solubility in molten chloride systems, 2: 34
- Chlorine-carbon tetrachloride-methane systems
- See Carbon tetrachloride-chlorine-methane systems
- Chloroethylene, tetra-
- See Ethylene, tetrachloro-
- Chlorouranate ions
- See Hexachlorouranate ion
- Chromalizing process, 4: 31
- Chromium, coatings of, for oxidation protection, 4: 31
- corrosion inhibition, 3: 18
- corrosive effects of dissolving, 2: 18-19
- separation from uranium in skull reclamation process, 4: 43
- solubility in liquid-metal systems, 4: 42
- Chromium-51, removal from Hanford reactor coolant by aluminum shavings, 4: 57
- Chromium-cobalt-iron-nickel alloys, corrosion, 1: 43
- Chromium-cobalt-nickel-tungsten alloys
- See Haynes 25 alloy
- Chromium ions, effect on corrosion of stainless steels by nitric acid, 4: 21-2
- Chromium-iron-manganese-molybdenum-nickel-silicon alloys
- See Hastelloy B alloy
- Chromium-iron-manganese-nickel alloys
- See Inconel alloy
- Chromium-iron-molybdenum-nickel alloys
- See INOR-8 alloy
- Chromium-nickel alloys
- See also Corronel 230 alloy
- corrosion, 1: 43
- Chromium-uranium alloy
- See Uranium-chromium alloy
- Cladding (fuel-element), effect of type on reprocessing costs, 4: 2
- electrolytic dissolution, 4: 2
- Cladding removal
- See Decladding
- Clinoptilolite, Cs¹³⁷ removal by, 4: 68
- heat-treatment effects on selectivity for cesium adsorption, 2: 48
- strontium removal by, phosphate-ion effects, 2: 49-50
- waste-disposal applications, 1: 57-9; 3: 46
- Coatings
- See also the specific coating materials
- carbon, for uranium carbides, 4: 81
- chromalizing process, 4: 31
- techniques for production on uranium dioxide, 2: 63
- Cobalt, solubility, 3: 29
- solubility in liquid bismuth, 1: 39
- sorption by natural organic materials, 2: 51
- Cobalt-60, activity/particle-size relations for separated waste, 4: 58
- Cobalt alloys
- See also Haynes 21 alloy
- corrosion, 1: 43
- Cobalt-cerium-plutonium alloys
- See Plutonium-cerium-cobalt alloys
- Cobalt-chromium-iron-nickel alloys
- See Chromium-cobalt-iron-nickel alloys
- Cobalt-chromium-nickel-tungsten alloys
- See Haynes 25 alloy
- Columbium
- See Niobium
- Columns (pulse)
- See Pulse columns
- Commercial aspects
- See Economic aspects
- Conasauga shale, selective sorption of strontium by, 4: 65-6
- Consolidated Edison Thorium Reactor
- See Reactors (Indian Point Power)
- Constitutional diagrams
- See Phase studies
- Construction materials, compatibility with liquid metal-fused salt process solutions, 2: 32-3
- corrosion problems, 4: 20-5
- Consumers Public Power District Reactor
- See Reactors (Hallam Power)
- Containers, baskets in electrolytic dissolution process, 4: 8-9
- HAPO casks, 4: 69
- shipping, design for radioisotopes, 2: 57-8; 4: 69
- heat-transfer calculations, 4: 66
- for spent fuel elements, 1: 2; 3: 2
- tanks, 2: 40-1; 4: 52-5
- waste, 2: 40-1, 54-5; 4: 52-5
- Contamination, environmental, by radioactive waste, 2: 41-2
- Coors AD99, compatibility with molten phosphate glass, 2: 47
- Copper, corrosion, 2: 23
- Copper-64, removal from Hanford reactor coolant by aluminum shavings, 4: 57
- Copper-bismuth systems (liquid)
- See Bismuth-copper systems (liquid)
- Copper-iron-manganese-nickel alloys
- See Monel alloy
- Corronel 230 alloy, corrosion, 4: 24
- Corrosion, 2: 15-19
- See also the specific materials being corroded and the specific corrosive construction materials, 4: 20-5
- crucibles by molten phosphate glasses, 4: 63
- ICPP process problems, 3: 15-17
- inhibition by zirconium in liquid-metal systems, 4: 46
- literature survey on stainless-steel stress-corrosion cracking, 4: 25
- stainless steel during calcination processes, 2: 43

Corrosion (Continued)

- stainless steel by liquid bismuth-lead systems, 4: 46
- stainless steel by nitric acid, chromium-ion effects, 4: 21-2
- waste processing, 4: 25-8
- waste-storage tanks, 4: 52-5

Costs

- See Economic aspects
- Criticality hazards, control during dissolution by neutron poisons, 4: 3
- control in enriched-fuel processing, 4: 1
- control in storage containers, 2: 15
- uranium dioxide production, 2: 62
- Crucibles, beryllia, compatibility with skull reclamation process solutions, 4: 46
- compatibility with liquid metal-fused salt process solutions, 2: 33
- corrosion by molten phosphate glasses, 4: 63
- impregnation to prevent fused-salt permeation, 4: 46-9
- for phosphate-glass production from waste, 2: 46-7
- tungsten, compatibility with liquid uranium-magnesium-zinc solutions, 4: 45-6
- Cryolite, aluminum reduction of uranium dioxide using, 4: 83
- Crystal properties, plutonium dioxide, 4: 47-8
- thorium dioxide, 4: 47-8
- thorium-lead intermetallic compounds, 2: 30
- uranium dioxide, 4: 47-8
- uranium-lead intermetallic compounds, 2: 30
- Curium, separation, 3: 12-13; 4: 16
- Cutters (tube), 2: 5, 6

D

D2EHPA

- See Phosphoric acid, di-2-ethylhexyl-
- Darex process, 4: 1-2
- chemical deacidification of fuel elements, 1: 8
- corrosion of construction materials, 4: 20-1
- corrosion problems, 1: 26; 2: 18
- waste disposal, 1: 52-7; 3: 51
- Darex-Purex raffinate, corrosion of stainless steels, 4: 20-1
- Darex wastes, calcination process, 2: 43; 4: 56-9
- Darex-Zirflex process, corrosion problems, 2: 18
- Davison Chemical Co., agreement with AEC, 3: 1
- Decalco, Cs¹³⁷ removal by, 4: 68
- radioisotope shipping uses, 2: 57-8; 4: 69
- Decalcladding, aluminum dissolution by sodium hydroxide, 4: 7-8
- ammonium fluoride process, 4: 10
- beryllium dissolution by acids, 4: 8
- chemical means, 1: 8; 2: 35; 3: 5-6; 4: 7-10, 23
- electrolytic-dissolution process, 2: 36
- mechanical means, 1: 7-8; 2: 5-7; 3: 5; 4: 7
- oxidative method, 2: 35
- uranium carbide fuel by steam, 4: 49
- Decomposition
 - See Thermal decomposition
- Decontamination, hot cells, 1: 24-5
- Decontamination factors, effects of solvent quality, 4: 15
- fission products in electrolytic process, 2: 36
- Demonstrational Waste Calcining Facility, 2: 44-6; 4: 59-62

- Densimeters, 1: 17-18; 4: 49
- Density, bismuth liquid systems, 4: 41
- lanthanum liquid, 2: 30
- measurement in fused-salt systems, 4: 49
- Depleted uranium, base charges for, as uranium hexafluoride, 4: 4
- Detroit Edison Reactor
 - See Reactors (Enrico Fermi Fast-Breeder)
- Dibutylbutyl phosphonate, uranium extraction from nitrate eluates, 2: 61
- Dibutyl phosphoric acid
 - See Phosphoric acid, dibutyl-
- Diethyl benzene
 - See Benzene, diethyl-
- Diethylene triamine pentaacetic acid
 - See Acetic acid, diethylene triamine penta-
- Difluorotetrachloroethane
 - See Ethane, difluorotetrachloro-
- Diluents
 - See also the specific diluent compounds
 - evaluation of, for solvent-extraction processes, 4: 14-15
- Dipicryl amine, cesium removal by, 4: 68
- Dipicryl amine-nitrobenzene systems, cesium removal by, 4: 68-9
- Direct fluorination processes, 2: 26-7; 3: 25-7; 4: 33-5
- Dissolution, 2: 7-11, 22
 - See also as subheading under specific materials
 - cladding materials, 4: 8-10
 - dissolver vessel corrosion, 3: 17
 - electrolytic, 2: 8-11; 3: 8-9; 4: 2, 6-9, 21-3
 - corrosion problems, 2: 18
 - fuel cores, 4: 10-12
 - Nitrofluor process, 4: 30-1
 - stainless-steel-matrix fuels, 4: 20-1
 - temperature effects on rate, 4: 10-11
- Distribution coefficients, metals in liquid metal-fused salt systems, 2: 32; 4: 41, 43
- metals in liquid-metal systems, 2: 30-1; 4: 41-2
- Dodecanes, diluent use in solvent extraction, 4: 15
- solvent properties, 3: 12
- Dowex 1 resin, neptunium adsorption, 1: 17
- plutonium adsorption, 3: 69
- Dowex 1-X10 resin, fission-product removal, 2: 56
- Dowex 50W resin, plutonium adsorption, 3: 64-5
- waste-disposal applications, 3: 58
- Dowex 50W-X8 resin, Np²³⁷ adsorption, 2: 55-6
- Dowex 50W-X12 resin, strontium adsorption, 2: 49
- DPA
 - See Dipicryl amine
- Dresden Power Reactor
 - See Reactors (Dresden Power)
- Drums, waste, evaluation for ocean disposal, 2: 54-5
- Dry halogenation processes, 2: 25-6; 3: 24-5; 4: 32-3
- Drying
 - See Spray drying
- DTPA
 - See Acetic acid, diethylene triamine penta-
- Duolite C-3 resin, cesium recovery using, 2: 56-7
- Cs¹³⁷ removal by, 4: 68
- strontium removal by, 2: 49
- waste-disposal applications, 3: 45-6
- Duolite CS-100 resin, waste-disposal applications, 3: 44
- Dysprosium, removal, 3: 28
- solubility, 3: 31

E

EBR

- See Reactors (Experimental Breeder)
- EBR-II fuel pins
 - See Fuel elements (pins) and see also Uranium-fission alloys
- Economic aspects, 1: 1-6; 2: 1-4; 3: 1-3; 4: 1-6
- aqueous processes, 4: 3-4
- duplicating processing equipment, 4: 19
- fuel cycles, 4: 4-6
- fuel shipping, 4: 6
- fuel storage, 4: 6
- granitic rock leaching for uranium and thorium recovery, 4: 83-4
- nonaqueous processes, 4: 3
- plutonium electrorefining, 4: 86
- pot calcination of wastes, 2: 42
- uranium price reduction effects on reactor fuel-cycle costs, 4: 5
- waste storage, 4: 55
- EDTA
 - See Acetic acid, ethylene diamine tetra-
- Einsteinium, separation, 3: 12-13
- solvent extraction, 4: 16
- Electrical heating
 - See Heating
- Electrodes, consumable uranium dioxide-carbon systems, 4: 82
- plutonium, use in plutonium electrorefining, 4: 84-5
- uranium dioxide-carbon consumable anode, 2: 66
- Electrolytic dissolution
 - See Dissolution
- Electrolytic processes, 3: 8-9, 35-6
- fission-product removal, 2: 36
- plutonium refining, 4: 84-6
- reduction, 2: 67-8; 4: 46-8, 67-8, 82
- salt-cycle process, 2: 34-5
- uranium carbide reduction, 4: 49
- uranium carbide reduction in fused salts, 2: 36
- uranium dioxide-plutonium dioxide systems, 4: 46-7
- uranium dioxide production, 3: 62
- uranium dioxide reduction, 2: 66; 4: 82
- uranium purification in aqueous solutions, 2: 13
- uranium triauroxide reduction, 4: 48
- uranium chloride reduction in fused salts, 2: 34-5
- waste-disposal applications, 3: 46
- Electrorefining, 2: 13; 3: 32-3
- Enriched fuels, processing costs, 4: 1-2
- Enriched uranium, base charges for, as uranium hexafluoride, 4: 4
- price reduction effects on reactor fuel-cycle cost, 4: 5
- Enrico Fermi Fast-Breeder Reactor
 - See Reactors (Enrico Fermi Fast-Breeder)
- Entropy, iodine pentafluoride, 4: 35
- EOCR
 - See Reactors (Experimental Organic-Cooled) (EOCR)
- Epidote, radioisotope adsorption, 4: 57
- Erbium, removal, 3: 28
- solubility, 3: 31
- Erosion, nozzles in fluid-bed calcination process, 2: 44
- Ethane, difluorotetrachloro-, diluent use in tributyl phosphate extraction processes, 4: 15
- Ethylene diamine tetraacetic acid
 - See Acetic acid, ethylene diamine tetra-
- Ethylene polymers, 4: 23
- Ethylene, tetrachloro-, solvent properties, 3: 11

- 2-Ethylhexylphenyl phosphoric acid
 See Phosphoric acid, 2-ethylhexylphenyl-
 EUREX Plant, 3: 2
 Eurochem plant, 3: 2
 Europium, removal, 3: 28
 solubility, 3: 31
 Europium compounds, reduction, 3: 32
 Evaporation, liquid wastes, 3: 47-8
 Evaporators, corrosion, 4: 24-5
 Experimental Breeder Reactor
 See Reactors (Experimental Breeder)
 Experimental Organic-Cooled Reactor
 See Reactors (Experimental Organic-Cooled) (EOCR)

F

- Fermi Fast-Breeder Reactor
 See Reactors (Enrico Fermi Fast-Breeder)
 Fermium, separation, 3: 12-13
 solvent extraction, 4: 16
 Fernald Plant, waste disposal, 3: 43
 Fiberglass, 4: 23
 Final disposal
 See Waste processing and disposal
 Fission products, activity/particle-size relations for separated waste, 4: 58
 fixation in ceramic sponges, 4: 63-4
 ion exchange, 1: 16-17
 recovery from Purex wastes, 2: 56
 recovery from wastes, 4: 67-8
 release during melt refining of uranium-fissium alloys, 2: 28; 4: 36-8
 release during oxidation of uranium dioxide, 4: 34-5
 removal, 3: 20
 removal in acid Thorex process, 1: 13
 removal by Dowex 1-X10 resin, 2: 56
 removal by electrolytic process, 2: 36
 removal by liquid-metal processes, 4: 41
 removal in melt-refining process, 2: 29
 removal from plutonium, 4: 33-4
 removal in salt-cycle process, 2: 35
 removal from uranium-bismuth liquid alloys, 4: 45
 removal from uranium by chlorination, 4: 33
 removal during oxidation-reduction process for uranium dioxide, 4: 40
 shipping-container design, 2: 57-8
 volatilization in melt-refining process, 2: 28; 4: 36-8
 Fissium alloys
 See Uranium-fissium alloys
 Fixation, waste in ceramic sponges, 4: 63-4
 Flame denitration process, pilot plant, 2: 44-5
 uranium dioxide production, 4: 74-5
 Florida bed phosphate-calcite-pyrite mixtures
 See Calcite-Florida bed phosphate-pyrite mixtures
 Flow rate, effect on 304L stainless-steel corrosion in Darex dissolver solutions, 4: 20
 instrumentation, 4: 17-19
 Flow sheets, actinide-lanthanide separation, 3: 13
 EBR-II blanket processing, 4: 44
 Enrico Fermi Fast-Breeder Reactor blanket dissolution, 1: 9
 flame denitration pilot plant, 2: 45
 fused-salt volatility processes, 1: 31
 Hallam Power Reactor fuel-element dissolution, 1: 10
 isotope separation from wastes, 1: 61-4
 liquid-metal extraction processes, 3: 32
 Molten-Salt Reactor fuel processing, 3: 24
 neptunium recovery in Redox process, 4: 14
 pot calcination, 3: 54
 Purex phosphate-glass pilot plant, 2: 47
 Purex process, 1: 14
 Purex process waste backcycle, 4: 14
 reclamation process for melt-refining skulls, 4: 44
 Redox process waste backcycle, 4: 13
 sodium formate precipitation of sodium fluozirconate, 4: 16-17
 strontium recovery from Purex 1WW, 4: 67-9
 transuranium-element separation, 4: 16
 TRIGA Reactor fuel processing, 3: 8
 uranium dioxide production, 1: 68
 uranium-molybdenum alloy dissolution, 3: 6-7
 uranium trioxide activation process, 4: 76-7
 uranium-zirconium alloy dissolution, 2: 8
 waste disposal, 1: 52
 Fluid beds, calcination, 2: 44-6; 4: 59-62
 uranium tetrafluoride production in, 4: 76, 77
 Fluidized beds, alumina, in fluorination processes, 4: 34
 heat removal, use in Zircex process, 2: 25-6
 heat transfer, 4: 33
 hydrochlorination in, 4: 32
 Fluoboric acid-hydrofluoric acid systems, leaching of uranium dioxide-beryllium oxide systems, 1: 13
 solvent properties, 3: 10
 Fluoboric acid-nitric acid systems, corrosive effects, 3: 18
 Fluophosphoric acid, mono-, dissolution of uranium dioxide-thorium oxide systems, 1: 29-30
 Fluoride compounds
 See also specific fluoride compounds
 preparation, 2: 27
 properties, 4: 35
 removal, 2: 8
 Fluoride-volatility processes
 See Fused-salt volatility processes
 Fluorination processes
 See Direct fluorination processes
 Fluorine, corrosive effects, 3: 27
 flow-rate instrumentation, 4: 18-10
 reaction with uranium dioxide, 1: 37; 3: 26
 Fluorite, radioisotope adsorption, 4: 57
 Fluorocarbon plastics, corrosion, 2: 10
 Fluxes, use in waste calcination, 2: 43
 Foam separations, liquid-waste processing, 3: 43-4
 Foaming, effects on calcination processes, 2: 43
 Food chains, contamination by radioactive waste, 2: 41
 Fractional crystallization processes, 4: 45
 technetium hexafluoride purification by, 2: 27
 Fractional sublimation processes, 2: 26; 4: 32-3
 Free energy, bromine fluorides, 4: 35
 iodine pentafluoride, 4: 35
 Fuel cycles, 2: 1-2; 3: 2-3
 BONUS Reactor estimated costs, 4: 5
 Carolinas-Virginia Reactor estimated costs, 4: 5
 costs, 1: 2-5; 2: 2-3
 Dresden Reactor estimated costs, 4: 5
 economics, 4: 4-6
 Hallam Power Reactor estimated costs, 4: 5
 Indian Point Reactor estimated costs, 4: 5
 Peach Bottom Reactor estimated costs, 4: 5
 Piqua Reactor estimated costs, 4: 5
 uranium price reduction effects on costs, 4: 5
 Yankee Power Reactor, 4: 5
 Fuel elements
 See also the specific fuel-element materials, e.g., Uranium carbides, Uranium oxides, Uranium oxides (UO₂)-thorium oxide systems, etc.
 irradiated, 1: 1-2
 mechanical decladding, 2: 5-7
 Fuel elements (ceramic), fluorination, 1: 37
 Fuel elements (Hastelloy-X-clad), dissolution, 3: 10
 Fuel elements (impregnated graphite), disintegration, 3: 9-10
 dissolution, 2: 10-11
 leaching, 1: 12
 Fuel elements (Nichrome-clad), chemical decladding, 1: 27
 electrolytic dissolution, 3: 9
 Fuel elements (pellets), chemical decladding, 3: 5
 processing, 3: 25-6
 Fuel elements (pins), melt-refining process, 4: 36-8
 nitridation, 4: 36
 processing, 3: 27-9
 Fuel elements (stainless-steel-clad), processing, 3: 25-6, 27-9, 36-7
 Fuel elements (uranium), cutting, 2: 5
 dissolution, 1: 8-9, 29-30; 2: 7
 Fuel elements (uranium carbides), leaching, 1: 12
 processing, 1: 46
 Fuel elements [uranium carbides (UC)], processing, 3: 34-7
 Fuel elements (uranium-molybdenum alloy), dissolution, 1: 9-10; 2: 7
 Fuel elements [uranium oxides (UO₂)], fluorination, 1: 37
 processing, 2: 34; 3: 25-6, 34-7; 4: 46-9
 Fuel elements [uranium oxides (UO₂)(stainless-steel-clad)], chemical decladding, 1: 35-6
 Fuel elements [uranium oxides (UO₂)-Nichrome systems (Nichrome-V-clad)], dissolution, 2: 8-10
 Fuel elements [uranium oxides (UO₂)-stainless steel systems], dissolution, 1: 11-12
 Fuel elements [uranium oxides (UO₂)-thorium oxide systems], chemical decladding, 1: 8
 dissolution, 1: 29-30
 Fuel elements (uranium-zirconium alloy), cutting, 2: 5
 dissolution, 1: 30-5
 Fuel elements (uranium-zirconium alloy) (Zircaloy-clad), dissolution, 2: 7-8
 Fuel elements (Zircaloy-clad), processing, 3: 25-6
 Fuel elements (zirconium-clad), dissolution, 3: 23
 processing, 3: 36
 Fuel pins
 See Fuel elements (pins) and see also Uranium-fissium alloys
 Fuel solutions
 See also specific solutions by name of constituents
 treatment at AEC facilities before solvent extraction, 4: 12
 Fuels
 See also the specific fuel materials by name
 enriched, processing costs, 4: 1-2
 shipping economics, 4: 6
 storage economics, 4: 6
 Fused-salt extraction processes
 See Liquid metal-fused salt extraction processes
 Fused salt-hydrofluoric acid systems
 See Hydrofluoric acid-fused salt systems

Fused-salt volatility processes, 1: 30-5;
2: 23-5; 3: 22-4; 4: 3

alloy corrosion studies, 4: 31-2
corrosion problems, 1: 29-30

Fused salts

See also specific fused-salt systems by name of constituent salts
a-c resistance heating, 4: 49
atomization, 3: 23
electrolysis in, 4: 46-9
electrolytic production of uranium in, 4: 83
electrolytic use in plutonium electrorefining process, 4: 64-6
electrolytic use in uranium metal production, 2: 66-8
flux use in thorium dioxide reduction process, 4: 84
frozen-wall containment, 1: 34-5

Fusion point

See Melting point

G

G-7 laminate, 4: 23

Gadolinium, removal, 3: 28
solubility, 3: 31

Gallium (liquid), solubility of uranium in, 4: 39

Gamma-ray emitters, activity/particle-size relations for separated waste, 4: 58
release during oxidation of uranium dioxide, 4: 34

Gas-Cooled Reactor Experiment

See Reactors (Gas-Cooled, Experiment) (GCRE)

GCRE

See Reactors (Gas-Cooled, Experiment) (GCRE)

General Electric Test Reactor

See Reactors (General Electric Test) (GETR)

GETR

See Reactors (General Electric Test) (GETR)

Glasses, compatibility with crucible materials, 2: 47

conversion of wastes to, 2: 46-8
corrosive effects, 4: 63

Cs¹³⁷-containing, use as radioactive sources, 4: 69

radioisotope incorporation for heat and radiation sources, 2: 47-8

waste conversion to, 4: 62-3

Goethite, radioisotope adsorption, 4: 57

Gold, corrosion, 2: 23

Gold-platinum alloys, compatibility with molten phosphate glass, 2: 47

Grace (W. R.) and Co., 4: 1-2

Granite, leaching for uranium and thorium recovery, 4: 63-4

Graphite

See also Carbon

electrolytic dissolution, 4: 8-9

hydrofluorinator use, 2: 24-5

impregnation to prevent fused-salt permeation, 4: 48-9

reaction with uranium dioxide, 1: 46

Graphite (impregnated), disintegration, 3: 9-10

leaching, 1: 12

Graphite (tungsten-coated), thermal cycling, 2: 33

Ground disposal

See Waste processing and disposal

H

Hafnium, solubility in liquid bismuth, 1: 39

Hafnium alloys, corrosion by plutonium alloys, 2: 33

Hallam Power Reactor

See Reactors (Hallam Power)

HAPO casks, 4: 69

Hastelloy alloy, evaluation as crucible material, 4: 63

Hastelloy B alloy, corrosion, 2: 23, 24

Hastelloy C alloy, corrosion, 1: 36; 3: 19

Hastelloy F alloy, corrosion, 1: 26, 44;

3: 15-17; 4: 23, 27-8

corrosion in Zirflex process, 1: 25-6

Hastelloy X alloy, dissolution, 3: 10

Haynes 6B alloy, corrosion, 2: 16

Haynes 21 alloy, corrosion, 2: 15-16, 18; 3: 19

corrosion by Darex dissolver solutions, 4: 21

Haynes 25 alloy, corrosion, 1: 43-4; 2: 17, 18; 3: 19

corrosion by Darex dissolver solutions, 4: 21

Haynes EB4358 alloy, corrosion, 1: 26

Haynes EB5459 alloy, corrosion, 1: 26

Haynes Multimet alloy, corrosion, 1: 43-4

Hazards

See Criticality hazards

Head-end treatments, 1: 8-13; 3: 6-10

fission-product removal from fuel solutions, 4: 12

Heat capacity, iodine pentafluoride, 4: 35

Heat exchangers, corrosion, 3: 17; 4: 24-5

Heat of formation, bromine fluorides, 4: 35

Heat sources, radioisotope-containing glasses, 2: 47-8

Heat transfer, calculations, for high-level wastes, 4: 66-7

for Purex-waste shipping containers, 4: 66

for radioisotope shipping containers, 2: 57-8

direct fluorination processes, 3: 25

titanium corrosion effects, 4: 20

Heat-Transfer Reactor Experiments

See Reactors (Heat-Transfer, Experiments)(HTRE)

Heat-treatment, effect on cesium-adsorption selectivity of clinoptilolite, 2: 48

effect on corrosion of Haynes 21 alloy, 4: 21

effect on corrosion of Haynes 25 alloy, 4: 21

Heating, a-c resistance, for fused salts, 4: 69

ohmic, for liquid metals, 2: 30

Hexachlorouranate ion, stability in fused-salt solvents, 2: 37

Hexane-tributyl phosphate solutions, uranium extraction, sulfate-ion effects, 2: 61-2

HFIR

See Reactors (High-Flux Isotope)(HFIR)

High-Flux Isotope Reactor

See Reactors (High-Flux Isotope)(HFIR)

HNPF

See Reactors (Hallam Power)

Holmium, removal, 3: 28

solubility, 3: 31

Hot cells, decontamination, 1: 24-5

HTRE

See Reactors (Heat-Transfer, Experiments)(HTRE)

Huey test, 3: 19

Hydridation, tantalum, 4: 20

Hydrochloric acid, beryllium dissolution, 4: 8

corrosive effects, 3: 19
dissolution of aluminum-clad oxide target elements, 4: 12

dissolution of aluminum-silicon alloys, 4: 12

reaction with uranium-zirconium alloys, 4: 32

solvent properties, 3: 6, 9

Hydrochloric acid-nitric acid systems, corrosion of construction materials, 4: 21

corrosive effects, 2: 18

dissolution of stainless-steel-matrix fuels, 4: 20

dissolution of uranium dioxide-stainless steel fuels, 4: 11-12

leaching of uranium dioxide-beryllium oxide systems, 1: 12-13

solvent properties, 2: 9-10; 3: 9-10

stainless-steel dissolution, 1: 8

Hydrofluoric acid, beryllium dissolution, 4: 8

flow-rate instrumentation, 4: 18-19

fuel-element dissolution, 1: 10-11

reaction with uranium hexachloride, 4: 33

scandium recovery by, 2: 62

solvent properties, 2: 7-8; 3: 8

Hydrofluoric acid-fluoboric acid systems

See Fluoboric acid-hydrofluoric acid systems

Hydrofluoric acid-fused salt systems, corrosive effects, 4: 31-2

Hydrofluoric acid-hydrogen peroxide systems, corrosive properties, 4: 23-4

solvent properties, 3: 6

Hydrofluoric acid-nitric acid-mercury nitrate [Hg(NO₃)₂] systems

See Nitric acid-mercury nitrate [Hg(NO₃)₂]-hydrofluoric acid systems

Hydrofluoric acid-nitric acid systems, corrosive effects, 2: 8, 22-3; 4: 24

dissolution of Zircaloy-clad uranium-Zircaloy alloys, 4: 11-12

solvent properties, 1: 10-11; 2: 22; 3: 6; 4: 11-12

Hydrofluoric acid-nitrogen oxide (N₂O₂) systems, solvent properties, 4: 30

Hydrofluoric acid-nitrogen oxide (N₂O₂) systems, corrosive effects, 2: 22; 3: 22;

4: 30

reactions with uranium dioxide-thorium oxide systems, 1: 29-30

solvent properties, 3: 22; 4: 30

Hydrofluoric acid-nitrosyl fluoride systems, solvent properties, 4: 30-1

Hydrofluorinator, corrosion by fused-salt volatility process solutions, 2: 23-5

Hydrogen, reduction processes using, 1: 45-6; 2: 62-3; 4: 75

Hydrogen chloride

See also Hydrochloric acid

corrosive effects, 2: 17

reaction with uranium-zirconium alloys, 3: 24

solubility in molten chloride systems, 2: 34

Hydrogen fluoride

See also Hydrofluoric acid

fluorination of stainless-steel chlorides, 1: 36-7

fluorination of uranium oxides (UO₂), 1: 36-7

reduction of uranium dioxide, 2: 63-4;

4: 76-7

Hydrogen peroxide-ammonium fluoride-ammonium nitrate systems

See Ammonium fluoride-ammonium nitrate-hydrogen peroxide systems

Hydrogen peroxide-hydrofluoric acid systems

See Hydrofluoric acid-hydrogen peroxide systems

Hydrolysis, of halides, for oxide coating of uranium dioxide, 2: 63

of plutonium compounds during nitric acid dissolution of irradiated uranium, 4: 10

thorium nitrate in steam for thorium oxide production, 2: 68-9

Hymu 80 alloy

See Alloy 79-4

1

- Iron alloys**
See also **Hastelloy B alloy**, **INOR-8 alloy**,
and **Monel alloy**
corrosion, 1: 43
- Iron-chromium-cobalt-nickel alloys**
See **Chromium-cobalt-iron-nickel alloys**
- Iron fluorides, complexing with uranium fluo-
rides, 3: 27**
- Iron ions, effect on uranium oxide oxidation,
2: 61**
- Iron-molybdenum-nickel alloys, corrosion,
4: 31-2**
- Iron-molybdenum-nickel-vanadium alloys,
corrosion, 4: 31-2**
- Iron-nickel-vanadium alloys, corrosion,
4: 31-2**
- Iron oxides, strontium removal from waste
solutions using, 2: 49**
- Iron-platinum alloys (liquid), corrosive
effects, 3: 33**
- Isooctyl amine, tri-, solvent properties, 3: 12**
- Isopropyl alcohol, solvent use in thorium oxide
production, 2: 69**
- Isotopes, separation from wastes, 1: 61-4**

K

- Kaolinite, strontium removal by, **2: 49**
- Kel-F plastic, **3: 17**
 - radiation effects, **3: 17**
- Kerosene, diluent use in tributyl phosphate extraction processes, **4: 15**
- Krypton, release during melt-refining process, **2: 29; 4: 36-8**
 - solubility, **3: 29**
- Krypton-85, release from irradiated uranium during thermal cycling, **4: 37, 40**
- Krypton-xenon systems, release during oxidation of uranium dioxide, **4: 34-5**
- Kynar plastic, **4: 23**
 - corrosion, **3: 17**
 - radiation effects, **3: 17**

L

- L-nickel alloy, corrosion, **3**: 23
corrosion by fused salts, **4**: 31
LAMPRE
 See Reactors (Los Alamos Molten Plutonium, Experiment)(LAMPRE)
Lanthanide elements
 See Rare earths and the specific elements by name
Lanthanum, extraction using liquid aluminum-cadmium system, 4: 41-2
 removal, **3**: 28
 solubility, **3**: 31
Lanthanum (liquid), density, 2: 30; **3**: 30
 viscosity, **1**: 41
Lanthanum-cadmium alloys
 See Cadmium-lanthanum alloys
Lanthanum-calcium intermetallic compounds
 See Calcium-lanthanum intermetallic compounds
Lanthanum-cerium intermetallic compounds
 See Cerium-lanthanum intermetallic compounds
Lanthanum oxide-barium oxide-beryllium oxide systems
 See Barium oxide-beryllium oxide-lanthanum oxide systems
Lanthanum oxide-beryllium oxide-calcium oxide systems
 See Beryllium oxide-calcium oxide-lanthanum oxide systems
Lanthanum oxide-beryllium oxide-strontium oxide systems
 See Beryllium oxide-lanthanum oxide-strontium oxide systems

- Lanthanum oxide - beryllium oxide systems
See Beryllium oxide - lanthanum oxide systems
- Lauryl amine, tri-, solvent properties, **2: 12**
3: 12
- LCMA alloy, corrosion, **1: 25-6**; **2: 16-17**;
4: 27-8
- Leaching
See also as subheading under specific materials
- calcined wastes, **4: 58**
- ceramic sponges containing radioisotopes, **4: 64**
- granitic rock for thorium recovery, **4: 83-4**
- uranium from ores, **4: 72**
- Lead-bismuth alloys (liquid)
See Bismuth-lead alloys (liquid)
- Lead chloride (liquid), solvent properties, **1: 43-4**; **2: 7**
- Lead chloride - lead systems (liquid)
See Lead-lead chloride systems (liquid)
- Lead chloride - potassium chloride systems (liquid), solvent-extraction applications, **1: 44-5**
- solvent properties, **2: 34**
- Lead - lead chloride systems (liquid), corrosive effects, **1: 43-4**
- Lead oxides, flux use in waste calcination, **2: 43**
- strontium removal from waste solutions using, **2: 40**
- Lead-thorium intermetallic compounds
See Thorium-lead intermetallic compounds
- Lead-uranium alloys
See Uranium-lead alloys
- Lead-uranium intermetallic compounds
See Uranium-lead intermetallic compounds
- Lead-zinc alloys, phase diagrams, **3: 29**
- Lead-zinc alloys (liquid), distribution coefficients of various metals in, **2: 30-1**
- solvent-extraction applications, **1: 40**
- Lectures, solvent-extraction processes, **3: 12**
- Legislation, fuel-element shipping, **1: 1-2**
- Lignite, radioisotope sorption by, **2: 51**
- Lignite-peat mixtures
See Peat-lignite mixtures
- Lignite-vermiculite mixtures, sorption column use, **2: 51**
- Lime-soda softening process, waste-disposal use, **1: 51**
- Liquid-metal (liquid) extraction processes, **3: 32-3**;
4: 41-2
See also Liquid metal - fused salt extraction processes
- alloy-eutectic system, **2: 30-1**
- lead-zinc system, **2: 30-1**
- magnesium-zinc system, **2: 32**
- melt-refining shell reclamation, **4: 43**
- uranium-plutonium separation, **4: 43**
- Liquid-Metal Fuel Reactor
See Reactors (Liquid-Metal Fuel)
- Liquid metal - fused salt extraction processes, **3: 34**
- alloy - fused salt eutectic system, **2: 32**;
4: 41, 43
- Liquid metal - fused salt systems, uranium trichloride reduction in, **4: 83**
- Liquid-metal systems
See also specific liquid-metal systems by name of constituent metals
- publications, **4: 41**
- reduction reactions in, **4: 42**
- Liquid wastes, conversion to solids, **3: 47-54**
- disposal, **3: 43-7**
- Literature surveys
See Bibliographies
- Lithium-7, recovery, **3: 23**
- Lithium chloride, corrosive effects of solutions, **3: 19**

- Lithium chloride-barium chloride-magnesium fluoride systems
 See Barium chloride-lithium chloride-magnesium fluoride systems
- Lithium chloride-magnesium chloride-magnesium fluoride systems (liquid), solvent properties, 1: 45
- Lithium chloride-magnesium chloride-potassium chloride systems (liquid), solvent properties, 3: 30-1
- Lithium chloride-potassium chloride systems (liquid), electrolytic reduction bath, 2: 36, 67-8
 solvent properties, 4: 48
 uranium dioxide dissolution in, 2: 34
- Lithium chloride-potassium chloride-zinc chloride systems (liquid), reactions with uranium carbides (UC), 1: 47
- Lithium fluoride-beryllium fluoride-sodium fluoride systems (liquid)
 See Beryllium fluoride-lithium fluoride-sodium fluoride systems (liquid)
- Lithium fluoride-beryllium fluoride-sodium fluoride-zirconium fluoride systems (liquid)
 See Beryllium fluoride-lithium fluoride-sodium fluoride-zirconium fluoride systems (liquid)
- Lithium fluoride-potassium fluoride-sodium fluoride-uranium fluorides (UF₆)-zirconium fluoride systems
 See Uranium fluorides (UF₆)-lithium fluoride-potassium fluoride-sodium fluoride-zirconium fluoride systems
- Lithium fluoride-potassium fluoride-uranium fluorides (UF₆) systems (liquid)
 See Uranium fluorides (UF₆)-lithium fluoride-potassium fluoride systems (liquid)
- Lithium fluoride-sodium fluoride-uranium fluorides (UF₆)-zirconium fluoride systems
 See Uranium fluorides (UF₆)-lithium fluoride-sodium fluoride-zirconium fluoride systems
- Lithium fluoride-sodium fluoride-zirconium fluoride systems (liquid), corrosive effects, 3: 23; 4: 31
 dissolution of uranium-zirconium alloys, 1: 30-5
 review of properties, 2: 30
 solvent properties, 3: 23
- Los Alamos Molten Plutonium Reactor Experiment
 See Reactors (Los Alamos Molten Plutonium, Experiment) (LAMPRE)
- Low-decontamination oxidation-reduction process, 2: 35
- Lutetium, removal, 3: 28
 solubility, 3: 31
 in liquid bismuth, 1: 39
- M**
- Magnesium, evaluation of various types for reduction processes, 2: 67
 reduction of uranium tetrafluoride to uranium, 2: 66-7
 solubility in liquid-metal systems, 1: 39; 4: 42
- Magnesium (liquid), solvent properties, 1: 42; 4: 43
- Magnesium alloys (liquid), corrosive effects, 1: 43
- Magnesium-bismuth-cerium-zirconium alloys (liquid)
 See Bismuth-cerium-magnesium-zirconium alloys (liquid)
- Magnesium-cadmium-zinc systems (liquid)
 See Cadmium-magnesium-zinc systems (liquid)
- Magnesium chloride (liquid), solvent properties, 3: 31
- Magnesium chloride-lithium chloride-potassium chloride systems (liquid)
 See Lithium chloride-magnesium chloride-potassium chloride systems (liquid)
- Magnesium chloride-magnesium fluoride-lithium chloride systems (liquid)
 See Lithium chloride-magnesium chloride-magnesium fluoride systems (liquid)
- Magnesium chloride-potassium chloride-sodium chloride systems (liquid), solvent-extraction applications, 1: 44
 solvent properties, 3: 31
- Magnesium chloride-potassium chloride systems (liquid), solvent-extraction applications, 1: 44
 solvent properties, 2: 34
 uranium dioxide dissolution in, 2: 34
- Magnesium fluoride-barium chloride-lithium chloride systems (liquid)
 See Barium chloride-lithium chloride-magnesium fluoride systems (liquid)
- Magnesium fluoride-magnesium chloride-lithium chloride systems (liquid)
 See Lithium chloride-magnesium chloride-magnesium fluoride systems (liquid)
- Magnesium oxide, coating of uranium dioxide with, 2: 63
- Magnesium-silver systems (liquid), metal extraction using, 4: 41, 45
- Magnesium-thorium alloys
 See Thorium-magnesium alloys
- Magnesium-uranium-zinc alloys (liquid)
 See Uranium-magnesium-zinc alloys (liquid)
- Magnesium-zinc systems (liquid), corrosive effects on boron nitride, 2: 33
 reduction of thorium oxide, 1: 41; 4: 84
 reduction of uranium triauroxide, 1: 40-1
 solvent properties, 2: 29-30; 3: 30-1
 uranium-carbon reactions in, 2: 66
 uranium-silicon reactions in, 2: 66
- Maintenance, direct and remote, 4: 19-20
 effect of number of failures on remedial course, 4: 20
- Manganese-56, removal from Hanford reactor coolant by aluminum shavings, 4: 57
- Manganese alloys
 See Hastelloy B alloy and Monel alloy
- Manganese oxide (MnO₂), fission-product removal from fuel solutions using, 4: 12
- Manuals, 1: 73
- Maritime Gas-Cooled Reactor
 See Reactors (Maritime Gas-Cooled) (MGCR)
- Marlex polyethylene, 4: 23
 corrosion, 3: 17
 radiation effects, 3: 17
- Mass transfer, instrumentation, 3: 13-14
- Materials of construction
 See Construction materials and specific materials by name
- Melamine plastics, corrosion, 2: 19
- Melt-refining processes, 1: 38-9; 2: 28-9; 3: 27-9; 4: 36-9
 skull reclamation, 4: 43-4
- Melting point, beryllium oxide fluxes, 1: 38
- platinum hexafluoride, 2: 27
 review of liquid metals, 2: 30
 technetium hexafluoride, 2: 27
- Mercury, corrosive effects, 3: 33
 solvent properties, 3: 29
- Mercury (gaseous), corrosive effects, 3: 33
- Mercury chloride (HgCl₂) solutions, solvent properties, 3: 6
- Mercury nitrate [Hg(NO₃)₂]-ammonium fluoride-nitric acid systems
 See Ammonium fluoride-mercury nitrate [Hg(NO₃)₂]-nitric acid systems
- Mercury nitrate [Hg(NO₃)₂]-nitric acid-hydrofluoric acid systems
 See Nitric acid-mercury nitrate [Hg(NO₃)₂]-hydrofluoric acid systems
- Mercury nitrate [Hg(NO₃)₂]-nitric acid systems
 See Nitric acid-mercury nitrate [Hg(NO₃)₂]-nitric acid systems
- Metals (liquid)
 See Liquid metals
- Metasomatic replacement
 See Replacement reactions
- Methane, reaction with uranium hydride to produce uranium carbide, 2: 64
- Methane-carbon tetrachloride-chlorine systems
 See Carbon tetrachloride-chlorine-methane systems
- Methane-carbon tetrachloride systems
 See Carbon tetrachloride-methane systems
- Methanol-hydrogen chloride systems
 See Hydrogen chloride-methanol systems
- Methyl isobutyl ketone processes
 See Redox process
- MGCR
 See Reactors (Maritime Gas-Cooled) (MGCR)
- Minerals, P³² removal from waste by, 4: 57
 Sr⁹⁰ sorption by, 2: 49; 4: 66
 waste-decontamination processes using, 2: 48-9
- Mines, waste disposal in, 2: 51-2; 3: 55-6; 4: 65-6
- Mixer-settlers, centrifugal, 4: 2-3
 design, 2: 14-15; 3: 12
- Mol, Belgium, fractional sublimation work, 2: 26
- Molybdenum, corrosion, 2: 23; 3: 33
 removal, 1: 31, 41; 2: 22; 3: 28
 removal difficulties using melt-refining process, 2: 29
 solubility in liquid zinc, 2: 29
- Molybdenum (tungsten-coated), thermal cycling, 2: 33
- Molybdenum alloys
 See Hastelloy B alloy and INOR-8 alloy
- Molybdenum chlorides, volatility, 1: 45
- Molybdenum-iron-nickel alloys
 See Iron-molybdenum-nickel alloys
- Molybdenum-iron-nickel-vanadium alloys
 See Iron-molybdenum-nickel-vanadium alloys
- Molybdenum-nickel alloys
 See also INOR-1 alloy
 corrosion, 4: 31-2
- Molybdenum oxide (MoO₃), radiation effects on sublimation rate, 2: 38
- Molybdenum-tungsten alloys, compatibility with liquid metals and alloys, 2: 33
- Molybdenum-uranium alloys
 See Uranium-molybdenum alloys
- Molybdenum-uranium alloys (aluminum-clad)
 See Uranium-molybdenum alloys (aluminum-clad)
- Monazite, chlorination, 2: 68
- Monel alloy, corrosion, 2: 22-3, 24; 3: 15-17, 22; 4: 30
 corrosion by hydrofluoric acid-hydrogen peroxide systems, 4: 23-4
- Montmorillonite, strontium removal by, 2: 49
- Mullite (tungsten-coated), thermal cycling, 2: 33
- N**
- NaK, corrosive effects, 1: 17
- National Reactor Testing Station, waste disposal, 3: 43

- Neodymium, extraction by liquid metal-fused salt systems, **4**: 43
 recovery in Redox process, **4**: 13-14
 removal, **2**: 22; **3**: 28
 solubility, **3**: 30-1
- Neptunium, separation, **1**: 17; **3**: 12-13
- Neptunium-237, recovery by ion exchange, **2**: 55
- Nevada Test Site, waste disposal, **3**: 43
- Nichrome alloy, electrolytic dissolution, **3**: 9
- Nichrome-uranium oxides (UO_2) systems
See Uranium oxides (UO_2)-Nichrome systems
- Nickel-V alloy, corrosion, **2**: 17
 dissolution, **1**: 27; **2**: 8-10
- Nickel, corrosion, **1**: 36; **2**: 17, 23; **3**: 27; **4**: 30
 dissolution, **2**: 10
 gauze, catalytic use in uranyl-ion reduction, **4**: 73-4
- Nickel alloys
See also Hastelloy B alloy, INOR-1 alloy, INOR-8 alloy, L-nickel alloy, Monel alloy, and Nionel alloy
 corrosion, **1**: 43
- Nickel-aluminum alloys
See Aluminum-nickel alloys
- Nickel-aluminum-plutonium alloys
See Plutonium-aluminum-nickel alloys
- Nickel-aluminum-plutonium alloys (Zircaloy-4-clad)
See Plutonium-aluminum-nickel alloys (Zircaloy-4-clad)
- Nickel-aluminum-silicon alloys
See Aluminum-nickel-silicon alloys
- Nickel-aluminum-silicon systems
See Aluminum-nickel-silicon systems
- Nickel-chromium alloys
See Chromium-nickel alloys and Corronel 230 alloy
- Nickel-chromium-cobalt-iron alloys
See Chromium-cobalt-iron-nickel alloys
- Nickel-chromium-cobalt-tungsten alloys
See Haynes 25 alloy
- Nickel-copper-iron-manganese alloys
See Monel
- Nickel ferrocyanide, cesium precipitation from Purex supernatant using, **2**: 58
- Nickel-iron-molybdenum alloys
See Iron-molybdenum-nickel alloys
- Nickel-iron-molybdenum-vanadium alloys
See Iron-molybdenum-nickel-vanadium alloys
- Nickel-iron-vanadium alloys
See Iron-nickel-vanadium alloys
- Nickel-molybdenum alloys
See INOR-1 alloy and Molybdenum-nickel alloys
- Nickel-molybdenum-iron alloys
See Alloy 79-4
- Niflex process, corrosion problems, **1**: 26
- Niobium, basket use in electrolytic dissolution process, **4**: 8-9
 corrosion, **3**: 16
 dissolution, **3**: 6
 removal, **1**: 16-17; **2**: 11, 22; **3**: 12
 in dissolver filtrate, **1**: 11
 from fuel solution by manganese dioxide, **4**: 12
 from Purex wastes by ion exchange, **2**: 48
 from wastes, **1**: 57-8
 solubility in liquid zinc, **2**: 29
- Niobium oxides (Nb_2O_5), chlorination, **4**: 33
- Niobium oxides (Nb_2O_5)-uranium oxides (UO_2) systems
See Uranium oxides (UO_2)-niobium oxides (Nb_2O_5) systems
- Niobium-zirconium alloys, corrosion, **3**: 33
- Niobium-95-zirconium-95 mixtures, activity/particle-size relations for separated waste, **4**: 58
- Nionel alloy, corrosion, **1**: 26; **2**: 18; **3**: 17
 by ammonium fluoride-ammonium nitrate solutions, **4**: 23
 evaporation vessel use, **2**: 47
- Nionel alloy (low-carbon)
See LCNA alloy
- Nitric acid, corrosion inhibition, **3**: 17-18
 corrosion of insulating materials, **4**: 23
 corrosion of stainless steels, **4**: 21-3
 corrosive effects, **2**: 17-19; **3**: 19; **4**: 24
 leaching of impregnated graphite, **1**: 12
 leaching of uranium oxides (UO_2)-beryllium oxide systems, **1**: 12-13
 solvent properties, **1**: 8-10; **2**: 7-9; **3**: 8-10; **4**: 10
- Nitric acid-aluminum nitrate-sodium fluoride systems, corrosive properties, **4**: 24
- Nitric acid-aluminum nitrate systems
See Aluminum nitrate-nitric acid systems
- Nitric acid-ammonium fluoride-mercury nitrate [$Hg(NO_3)_2$] systems
See Ammonium fluoride-mercury nitrate [$Hg(NO_3)_2$]-nitric acid systems
- Nitric acid-hydrochloric acid systems
See Hydrochloric acid-nitric acid systems
- Nitric acid-hydrofluoric acid systems
See Hydrofluoric acid-nitric acid systems
- Nitric acid-mercury nitrate [$Hg(NO_3)_2$] systems, dissolution of aluminum, **4**: 11
 dissolution of Zircaloy-4, **4**: 11
- Nitric acid-mercury nitrate [$Hg(NO_3)_2$]-hydrofluoric acid systems, dissolution of aluminum-clad aluminum-plutonium alloys, **4**: 11
- Nitric acid-sulfuric acid systems, corrosive effects, **3**: 18-19
 fuel-element dissolution, **1**: 11-12
 leaching of uranium oxides (UO_2)-beryllium oxide systems, **1**: 12-13
- Nitric acid-uranyl nitrate hexahydrate-aluminum nitrate systems
See Uranyl nitrate hexahydrate-aluminum nitrate-nitric acid systems
- Nitridation, EBR-II clad fuel pins, **4**: 36
 uranium carbides, **1**: 46; **2**: 36-7; **4**: 49-50
- Nitrobenzene-dipicryl amine systems
See Dipicryl amine-nitrobenzene systems
- Nitrofluor process, **2**: 22-3; **3**: 22; **4**: 30-1
- Nitrogen-carbon tetrachloride systems
See Carbon tetrachloride-nitrogen systems
- Nitrogen oxide (N_2O_5)-hydrofluoric acid systems
See Hydrofluoric acid-nitrogen oxide (N_2O_5) systems
- Nitrogen oxide (N_2O_4)-hydrofluoric acid systems
See Hydrofluoric acid-nitrogen oxide (N_2O_4) systems
- Nitrogen oxides (N_2O_4)-nitrosyl chloride systems, dissolution of uranium, **1**: 29-30
- Nitrosyl chloride-nitrogen oxides (N_2O_4) systems
See Nitrogen oxides (N_2O_4)-nitrosyl chloride systems
- Nitrosyl fluoride-hydrofluoric acid systems
See Hydrofluoric acid-nitrosyl fluoride systems
- Nitrosyl hexafluorouranate, conversion to uranium hexafluoride, **3**: 22; **4**: 30-1
- Nonaqueous processes, **4**: 30-50
 economic evaluations, **4**: 3
- Nontronite, strontium removal by, **2**: 49
- Nozzles, erosion in fluid-bed calcination process, **2**: 44
 fused-salt atomization by, **3**: 23-4
- N.S. Savannah Reactor
See Reactors (N.S. Savannah)
- Nuclear Fuel Services, Inc., **3**: 1; **4**: 1-2
- O
- Ocean disposal
See Waste disposal and processing
- Octylamine, tri-*n*-, solvent properties, **3**: 12
- Ohmic heating
See Heating
- OMRE
See Reactors (Organic-Moderated, Experiment) (OMRE)
- Optical emission spectroscopy
See Spectroscopy (optical emission)
- Organic compounds
See also specific compounds by name
 alkane reactions with uranium, **2**: 65-6
 removal from Purex wastes by steam stripping, **2**: 48
- Organic-Moderated Reactor Experiment
See Reactors (Organic-Moderated, Experiment) (OMRE)
- Osmium, solubility, **3**: 29
 solubility in liquid bismuth, **1**: 39
- Oxidation, Alloy 79-4, **4**: 31
 beryllium chloride for deposition of beryllium oxide coatings, **2**: 63
 fission products, for removal from liquid-metal fuels, **4**: 45
 uranium dioxide, **1**: 45-6
 uranium dioxide fission-product release during, **4**: 34-5
 uranium monocarbide, **1**: 46-7
- Oxidation-reduction processes, **2**: 34-36; **3**: 37
 activation of uranium oxides, **2**: 64-5; **4**: 34, 76-7
 equilibria in uranium dioxide-uranium trioxide systems, **4**: 76
 for uranium carbides, **4**: 49
 for uranium dioxide, **4**: 49
- Oxide fuel processing, **2**: 34; **4**: 46-9
- Oxide target elements (aluminum-clad), dissolution by hydrochloric acid, **4**: 12
- Oxygen, corrosive effects, **2**: 17
- P
- Palladium, extraction using liquid aluminum-cadmium system, **4**: 41-2
 extraction by liquid metal-fused salt systems, **4**: 43
 removal, **1**: 41
 solubility in liquid zinc, **2**: 29
- Particles
See Thorium oxide spheres and Thorium oxide-uranium oxide spheres
- Peach Bottom Reactor
See Reactors (Peach Bottom)
- Peat, radioisotope sorption by, **2**: 51
- Peat-lignite mixtures, sorption-column use, **2**: 51
- Peat-soil mixtures, sorption-column use, **2**: 51
- Peat-vermiculite mixtures, sorption-column use, **2**: 51
- Pebble-Bed Reactor
See Reactors (Pebble-Bed)
- Pentaacetic acid, diethylene triamine-, cerium complexing, **2**: 56
- Perflex process, **1**: 11
- Permutit SK resin, **4**: 16
 plutonium adsorption, **3**: 69
- Phase studies, alloys, **4**: 40
 cadmium-praseodymium intermetallic compounds, **2**: 29-30
 calcium-lanthanum intermetallic compounds, **2**: 30
 cerium-lanthanum intermetallic compounds, **2**: 30
 intermetallic compounds, **4**: 40

Phase studies (Continued)

- platinum hexafluoride solid-solid transition point, **2: 27**
- technetium hexafluoride solid-solid transition point, **2: 27**
- uranium-carbon constitutional diagram, **4: 79**
- uranium-fission alloys, **2: 29**
- Phenol formaldehyde plastics, corrosion, **2: 19**
- Phenolic resins, radioisotope removal from Purex waste, **2: 49**
- Phosphate ion, effect on strontium removal by various materials, **2: 49-50**
- Phosphates, use as flux in waste calcination, **2: 43**
- Phosphine oxide, trioctyl-, solvent properties, **3: 12-13**
- Phosphonate, diamylamyl-, solvent properties, **3: 12-13**
- Phosphonate, dibutylbutyl-, uranium extraction from nitrate eluates, **2: 61**
- Phosphonate, di-*n*-butylphenyl-, solvent properties, **3: 12-13**
- Phosphonate, di-*sec*-butylphenyl-, solvent properties, **3: 12-13**
- Phosphoric acid, dibutyl-, removal from solvent-extraction aqueous phase by ion exchange, **4: 15-16**
- solvent properties, **3: 12**
- Phosphoric acid, di-2-ethylhexyl-, rare-earth extraction, **2: 56**
- solvent properties, **3: 12-13**
- Phosphoric acid, 2-ethylhexylphenyl-, solvent use in transuranium-element extraction, **4: 16**
- Phosphoric acid, monofluo-, dissolution of uranium dioxide-thorium oxide systems, **1: 29-30**
- Phosphorus-32, removal from Hanford reactor coolant, **4: 57**
- Photometers, probe type filter, for fused-salt systems, **4: 49**
- Picryl amine, di-
See Dipicryl amine
- Piqua Reactor
See Reactors (Piqua)
- Pits, open, waste disposal in, **4: 64-5**
- Plant design, **2: 4; 4: 19-20**
- Plant operation, **4: 19-20**
- Plastics
See also specific plastics by chemical and trade names
corrosion, **2: 19**
- Platinum, corrosion, **2: 23**
- by molten phosphate glasses, **4: 63**
- crucible liner use in phosphate-glass production from waste, **2: 46-7**
- solubility in liquid bismuth, **1: 39**
- Platinum alloys, corrosion by molten phosphate glasses, **4: 63**
- Platinum fluoride (PtF₆), boiling point, **2: 27**
- melting point, **2: 27**
- preparation, **2: 27**
- reagent use in preparation of other fluorides, **2: 27**
- solid-solid transition point, **2: 27**
- Platinum-gold alloys
See Gold-platinum alloys
- Platinum-iridium alloys
See Iridium-platinum alloys
- Platinum-iron alloys
See Iron-platinum alloys
- Platinum-rhodium alloys, compatibility with molten phosphate glass, **2: 47**
- Plutonium, adsorption on Florida pebble phosphate, **2: 48-9**
- bibliography, **4: 38-9**
- complex formation in fused-salt systems, **4: 47**
- dissolution, **1: 45**
- electrorefining, **4: 84-6**
- extraction, **4: 12-14, 15**
- by liquid alloy-eutectic system, **2: 30-1**
- by liquid calcium-zinc alloys, **1: 42**
- by liquid lead-zinc system, **2: 30-1**
- by liquid-metal system, **4: 41, 45**
- hydrolysis during nitric acid dissolution of irradiated uranium, **4: 10**
- ion-exchange recovery, **1: 16-17; 4: 16**
- loss minimization by waste backcycling in Purex process, **4: 13**
- losses in recycle, **3: 2-3**
- metallurgy, **3: 30**
- precipitation as hydride from magnesium-zinc solution, **2: 32**
- production, **2: 61-9; 3: 64-7**
- recovery, from EBR-II blanket by liquid-metal extraction, **2: 32**
- in salt-cycle process, **2: 35**
- from scrap, **3: 67-9**
- separation, **1: 13-14, 15-16; 2: 11-12; 3: 11, 25-6, 34-6**
- separation by fluorination, **4: 33-4**
- solubility in magnesium alloys, **4: 43**
- technology, **3: 69-70**
- Plutonium (liquid), density, **3: 30**
- Plutonium alloys (liquid), corrosive effect, **1: 43; 2: 33**
- Plutonium-aluminum alloys (aluminum-clad), dissolution, **4: 11**
- Plutonium-aluminum-nickel alloys, dissolution, **3: 7**
- Plutonium-aluminum-nickel alloys (Zircaloy-4-clad), dissolution, **4: 11**
- Plutonium carbides (PuC)-uranium carbides (UC) systems
See Uranium carbides (UC)-plutonium carbides (PuC) systems
- Plutonium carbides (Pu₂C₃), preparation, **1: 47; 2: 66**
- Plutonium-cerium-cobalt alloys (liquid), corrosive effects, **3: 33**
- Plutonium chloride (PuCl₃)-cesium chloride systems, cooling-curve analysis, **2: 37**
- Plutonium chloride (PuCl₃)-rubidium chloride systems, cooling-curve analysis, **2: 37**
- Plutonium fluorides, review on preparation and properties, **2: 27**
- Plutonium fluorides (PuF₃), precipitation, **3: 66**
- reduction to metal, **3: 66-7**
- Plutonium fluorides (PuF₃), conversion from PuO₂, **3: 70**
- reduction to metal, **3: 65-6**
- volatility, **1: 34**
- Plutonium fluorides (PuF₃), preparation from plutonium tetrafluoride using platinum hexafluoride, **2: 27**
- thermal decomposition, **2: 27; 3: 26; 4: 34**
- Plutonium oxides, direct fluorination processing, **2: 26**
- reduction, **4: 45**
- separation from plutonium, **4: 33-4**
- Plutonium oxides (peroxides), hydrofluorination, **3: 65-6**
- precipitation, **3: 65**
- Plutonium oxides (PuO₂), conversion from PuF₃, **3: 70**
- fluorination, **3: 26**
- precipitation from plutonium trichloride-fused salt solutions, **4: 48**
- Plutonium oxides-thorium oxide systems, precipitation from fused-salt solutions, **4: 48**
- Plutonium oxides-uranium oxides systems, crystal properties, **4: 47-8**
- electrolytic processing, **2: 34**
- Plutonium oxides (PuO₂)-uranium oxides (UO₂) systems, electrolytic codeposition from fused salts, **4: 47**
- precipitation from fused-salt solutions, **4: 48**
- pyrochemical processing, **4: 46**
- Plutonium peroxides
See Plutonium oxides (peroxides)
- Plutonium Recycle Program, **4: 46-9**
See also Reactors (Plutonium Recycle Test)
- Plutonium-thorium alloys, plutonium recovery, **3: 69**
- Plutonium-uranium alloys
See Uranium-plutonium alloys
- Plutonium-zinc alloys, thermodynamic properties, **1: 39**
- Plutonyl fluorides, **4: 35**
- Poisons (neutron), applications in storage containers, **2: 15**
- criticality hazards control using, **4: 3**
- Polarographs, applications in Purex process **2: 13**
- Polymers, ethylene, corrosion, **2: 19**
- propylene, **4: 23**
- styrene, **4: 23**
- Potassium chloride (liquid), hexachlorouranate-ion stability in, **2: 37**
- Potassium chloride-aluminum chloride systems (liquid)
See Aluminum chloride-potassium chloride systems (liquid)
- Potassium chloride-lead chloride systems
See Lead chloride-potassium chloride systems
- Potassium chloride-lead chloride systems (liquid)
See Lead chloride-potassium chloride systems (liquid)
- Potassium chloride-lithium chloride-magnesium chloride systems
See Lithium chloride-magnesium chloride-potassium chloride systems
- Potassium chloride-lithium chloride systems (liquid)
See Lithium chloride-potassium chloride systems (liquid)
- Potassium chloride-magnesium chloride-sodium chloride systems
See Magnesium chloride-potassium chloride-sodium chloride systems
- Potassium chloride-magnesium chloride systems (liquid)
See Magnesium chloride-potassium chloride systems (liquid)
- Potassium chloride-sodium chloride systems (fused), solvent properties, **1: 45**
- Potassium chloride-sodium chloride systems (liquid), solvent properties, **2: 34**
- Potassium chloride-sodium chloride-zinc chloride systems (liquid), solvent properties, **1: 45**
- Potassium chloride-zinc chloride systems (liquid), solvent properties, **3: 31**
- Potassium fluoride-lithium fluoride-sodium fluoride-uranium fluorides (UF₄)-zirconium fluoride systems
See Uranium fluorides (UF₄)-lithium fluoride-potassium fluoride-sodium fluoride-zirconium fluoride systems
- Potassium fluoride-lithium fluoride-uranium fluorides (UF₄) systems (liquid)
See Uranium fluorides (UF₄)-potassium fluoride-lithium fluoride systems
- Potassium plutonyl fluorides, preparation, **4: 35**
- Potassium-sodium alloys (liquid), corrosive effects, **3: 17**

- Praseodymium, extraction using liquid aluminum-cadmium system, 4: 41-2
removal, 3: 28
solubility, 3: 29, 31
solubility in liquid zinc, 2: 29
Praseodymium (liquid), density, 3: 30
viscosity, 1: 41
Praseodymium-cadmium intermetallic compounds
See Cadmium-praseodymium intermetallic compounds
PRDC Reactor
See Reactors (Enrico Fermi Fast-Breeder)
Precipitation processes, 4: 16-17
fission-product recovery, 2: 56
Pressure gauges, 1: 18
Primene JM-T solvent, solvent properties, 3: 12-13
Promethium, recovery from Purex wastes, 2: 56
removal, 3: 28
solubility, 3: 31
Promethium-147, separation from wastes, 3: 58
Propane, uranium carbide production using, 2: 36, 64; 4: 78
uranium dioxide production by flame denitration using, 4: 74
Propylene polymers, 4: 23
Protactinium, separation, 1: 42-3; 2: 11, 32; 3: 11-12
Pulse columns, design, 3: 14-15
pulse amplitude determination, 4: 17-18
Purex-Darex raffinate
See Darex-Purex raffinate
Purex phosphate-glass pilot plant, flow diagram, 2: 47
Purex process, 2: 12-13; 4: 10
cost, 4: 1-2
improvements, 4: 12-16
plant design, 1: 18-25
plutonium separation, 1: 13-14
solvent technology, 3: 12
uranium loss minimization by waste back-cycling, 4: 13
Purex wastes, backcycling, 4: 12-14
calcination, 2: 43; 4: 58-9
composition, 4: 25-6
conversion to glasses, 2: 46-7; 4: 63
corrosive properties, 4: 25-7, 63
costs of pot calcination, 2: 42
disposal, 1: 52-7, 58-9, 63; 3: 51
disposal in salt mines, 4: 66
fission-product recovery, 2: 56
mine-area requirement for storage, 2: 51
radioisotope removal, 2: 48, 55; 4: 56, 67-9
steam stripping, 2: 48
storage costs, 1: 50-1
strontium recovery, 2: 55; 4: 67-9
Pyrite, radioisotope adsorption, 4: 57
Pyrite-calcite-Florida bed phosphate mixtures, radioisotope adsorption, 4: 57
Pyrite-calcite-Idaho bed phosphate mixtures, radioisotope adsorption, 4: 57
Pyroceram, corrosion, 2: 17
Pyroceram (tungsten-coated), thermal cycling, 2: 33
Pyrochemical processes, 4: 46-50
Pyrolytic carbon, coating of uranium carbides with, 4: 31
Pyrometallurgical processes, 1: 38-44; 2: 27-33; 3: 27-34; 4: 36-46
Pyrophoricity, uranium monocarbide, 2: 37
Pyrrhotite, radioisotope adsorption, 4: 57
Radiation effects, insulating materials, 4: 23
molybdenum trioxide sublimation rate, 2: 38
plastics, 3: 17
Radiation sources, radioisotope-containing glasses, 2: 47-8
Radioactive wastes
See Purex wastes, Darex wastes, TBP-25 wastes, Thorex wastes, and Waste disposal and processing
Radioisotopes
See also specific isotopes by name
removal, from Hanford reactor coolant by aluminum shavings, 4: 56-7
from Purex wastes, 4: 56
from wastes, 3: 57-9
Radium, separation from thorium, 4: 39
Rare earths, lanthanide separation from trans-uranium actinides, 4: 16
oxides, reduction, 4: 45
separation, 2: 11; 3: 28
by electrolytic process, 2: 36
in salt-cycle process, 2: 35
from thorium in monazite chlorination, 2: 68
from wastes, 1: 61-4; 2: 56; 3: 57-9
solubility, 3: 31
RBOF (Receiving Basin for Off-Site Fuels), 4: 6
Reactors (BONUS), fuel-cycle estimated cost, 4: 5
Reactors (CANDU), fuel-cycle costs, 2: 2-3
Reactors (Carolinas-Virginia), fuel-cycle estimated cost, 4: 5
Reactors (Consolidated Edison Thorium)
See Reactors (Indian Point Power)
Reactors (Dresden Power), fuel-cycle estimated cost, 4: 5
fuel-processing plant design, 1: 18-25
Reactors (Enrico Fermi Fast-Breeder), breeding blanket dissolution, 1: 9-10
fuel-element dissolution, 1: 8-9
Reactors (Experimental Breeder I) (EBR-I), fuel processing, 1: 33-4, 35
Reactors (Experimental Breeder II) (EBR-II), blanket processing, 2: 32; 3: 32-3; 4: 43-4
fuel processing, 1: 38-9; 2: 28-9, 32; 3: 27-9; 4: 36-8
Reactors (Experimental Organic-Cooled) (EOCR), fuel dissolution, 1: 11-12
Reactors (Gas-Cooled, Experiment) (GCRE), fuel dissolution, 1: 12-13
Reactors (General Electric Test) (GETR), fuel dissolution, 1: 11-12
Reactors (Hallam Power), fuel-cycle estimated cost, 4: 5
fuel dissolution, 1: 9-10
Reactors (Heat-Transfer, Experiments) (HTRE), fuel dissolution, 3: 9
fuel processing, 1: 8-10
Reactors (High-Flux Isotope) (HFIR), 4: 16
aluminum-clad oxide target elements, dissolution of, 4: 12
fuel processing, 3: 12-13
Reactors (Indian Point Power), chemical de-cladding of fuel elements, 1: 8
fuel-cycle estimated cost, 4: 5
fuel processing, 4: 14
Reactors (Liquid-Metal Fuel), fission-product removal from fuel, 4: 45
Reactors (Los Alamos Molten-Plutonium, Experiment) (LAMPRE), plutonium fuel alloy corrosive effects, 2: 33
Reactors (Maritime Gas-Cooled) (MGCR), fuel dissolution, 1: 12-13
Reactors (N.S. Savannah), fuel dissolution, 4: 12
uranium monocarbide fuel, 4: 78
Reactors (Organic-Moderated, Experiment) (OMRE), fuel dissolution, 1: 11-12
Reactors (Peach Bottom), fuel-cycle estimated cost, 4: 5
Reactors (pebble bed), fuel processing, 2: 10-11
Reactors (Piqua), fuel-cycle estimated cost, 4: 5
Reactors (Plutonium Recycle Test), fuel dissolution, 3: 7; 4: 11
Reactors (SIG), fuel dissolution, 1: 11-12
Reactors (Shippingport Pressurized-Water) (PWR), fuel processing, 3: 36
Reactors (SM-1), fuel dissolution, 1: 11-12; 3: 9; 4: 12, 20
Reactors (sodium-cooled), uranium monocarbide fuel, 4: 78
Reactors (Sodium, Experiment) (SRE), fuel-element de-cladding, 1: 7-8
Reactors (TRIGA), fuel dissolution, 1: 25-6
fuel processing, 2: 25; 3: 7
Reactors (Yankee Power), fuel-cycle estimated cost, 4: 5
fuel dissolution, 4: 12, 20
Receiving Basin for Off-Site Fuels, 4: 6
Redox process, head-end processes, 3: 6-7
improvements, 4: 12-16
neptunium accumulation flow pattern, 4: 14
Redox wastes, backcycling, 4: 12-13
conversion to glasses, corrosion problems, 4: 63
Reduction processes, 2: 31-2
See also Oxidation-reduction processes
aluminum-thorium alloy production, 4: 84
aluminum-uranium alloy production, 4: 83
carbon monoxide, of uranium trioxide, 4: 75
carbothermic, of uranium dioxide, 4: 49, 78-9
catalytic, for uranium dioxide production, 4: 73-4
electrolytic, for codeposition of oxides, 4: 47
uranium dioxide to metal, 2: 66
uranium production from uranium dioxide, 4: 82
uranium trichloride to uranium, 2: 67-8
of uranium triaetoxide, 4: 48
of uranyl(VI) ion, 2: 34-5; 4: 46-7
flame denitration, for uranium dioxide production, 4: 74-5
hydrogen, for uranium dioxide production, 2: 62-3; 4: 75-7
uranium trichloride to uranium, 4: 83
liquid metal-fused salt systems, 4: 42
magnesium-zinc, for thorium dioxide, 4: 84
plutonium oxides, 4: 45
rare-earth oxides, 4: 45
sodium amalgam, for uranium production, 4: 73
uranium carbide to uranium, 2: 36
uranium dioxide to uranium tetrafluoride, 2: 63-4
uranium tetrafluoride to uranium using magnesium, 2: 66-7
uranium trichloride to uranium, 4: 42
Refining, plutonium, electrolytically, 4: 84-6
uranium, electrolytically, 2: 13
Regeneration processes, 3: 37-9
Remote control, 4: 19
Replacement reactions, strontium removal in metasomatic, 2: 49-50
Rhenium, solubility, 1: 39; 3: 29
Rhenium-uranium alloys
See Uranium-rhenium alloys
Rhodium, removal, 1: 41
Rhodium alloys
See Platinum-rhodium alloys
Rhodium fluorides (RhF₃), properties, 1: 37-8
Richfield sand, strontium selective sorption by, 4: 65-6
Rock phosphates, radioisotope removal from wastes by, 4: 57
Rubidium chloride-plutonium chloride (PuCl₃) systems
See Plutonium chloride (PuCl₃)-rubidium chloride systems

Rubidium plutonyl fluorides, preparation, **4**: 35
Russia

See Union of Soviet Socialist Republics
Ruthenium, processing of waste containing, **2**: 43
release during oxidation of uranium dioxide, **4**: 34-5
removal, **1**: 41, 46; **2**: 11, 22; **3**: 12
difficulties using melt-refining process, **2**: 29
by electrolytic process, **2**: 36
from fuel solution by manganese dioxide, **4**: 12
by liquid lead-zinc system, **2**: 30-1
by natural organic materials, **2**: 51
from Purex waste by ion exchange, **4**: 56
from Purex wastes by steam stripping, **2**: 48
in Thorex process, **4**: 14
during uranium dioxide oxidation-reduction process, **4**: 49
from wastes, **1**: 57-8
volatility, **3**: 52-3
Ruthenium-106, activity/particle-size relations for separated waste, **4**: 58
hazards of disposal in open pits, **4**: 64
volatilization from ceramic sponges, **4**: 63-4
Ruthenium chloride, volatility, **1**: 45

S

SIG Reactor

See Reactors (SIG)

Safety, ICPP process, **1**: 75-6
Salt cavities, waste disposal in, **1**: 59-61;
2: 51-2; **3**: 55-6; **4**: 66

Salt-cycle process, **2**: 34-5; **3**: 34-6;
4: 48-9

Salts (atomized), particle size, **3**: 23-4
Salts (fused)

See Fused salts

Samarium, extraction by liquid metal-fused salt systems, **4**: 43

removal, **3**: 28

solubility, **3**: 30-1

in liquid bismuth, **1**: 39

Sand, selective sorption of strontium by
Richfield, **4**: 65-6

Saran plastic, corrosion, **3**: 17

radiation effects, **3**: 17

Sawdust-soil mixtures

See Soil-sawdust mixtures

Saws, mechanical decladding of fuel elements,
1: 7-8

Scandium, recovery from poisoned solvent
extractants, **2**: 62

solubility in liquid cadmium, **1**: 39

Sea disposal

See Waste disposal and processing

Seepage pits, waste disposal, **3**: 54-5;
4: 64-5

Shale, chlorination for uranium recovery,
4: 72-3

selective sorption of strontium by Conasauga,
4: 66

waste disposal in, **2**: 52-4

Shearing, **3**: 5

Shears, design, **2**: 5-7

mechanical decladding of fuel elements,
1: 7-8

Shell E2342, diluent use in solvent extraction,
4: 15

Shipping, fuel elements, laws, **1**: 1-2

fuels, economics, **4**: 6

wastes, heat-transfer problems, **4**: 66

Shipping containers

See Containers

Silica, removal from enriched-uranium solu-
tions, **4**: 12

Silicon alloys

See Hastelloy B alloy

Silicon-aluminum-nickel systems

See Aluminum-nickel-silicon systems

Silver, corrosion, **2**: 23

solubility in liquid-metal systems, **4**: 42

Silver-magnesium systems (liquid)

See Magnesium-silver systems (liquid)

SIR

See Reactors (SIG)

Skulls

See also Slag

reclamation from melt-refining process,
4: 43-4

Slag, uranium recovery, **1**: 41, 72; **3**: 32

SM-1 Reactor

See Reactors (SM-1)

Soda-lime softening process, waste-disposal
use, **1**: 51

Sodalite, radioisotope adsorption, **4**: 57

Sodium (gaseous), corrosive effects, **3**: 33

Sodium (liquid), corrosive effects, **3**: 33

Sodium amalgam, reduction of uranium chlo-
ride to uranium by, **4**: 73

Sodium chloride, hexachlorouranate-ion

stability in, **2**: 37

Sodium chloride-magnesium chloride-potassium
chloride systems (liquid)

See Magnesium chloride-potassium
chloride-sodium chloride systems (liquid)

Sodium chloride-potassium chloride systems
(liquid)

See Potassium chloride-sodium chloride
systems (liquid)

Sodium chloride-potassium chloride-zinc
chloride systems (liquid)

See Potassium chloride-sodium chloride-zinc
chloride systems (liquid)

Sodium fluoride, pellet bed, uranium hexa-
fluoride sorption on, **4**: 31-2

Sodium fluoride-beryllium fluoride-lithium
fluoride systems (liquid)

See Beryllium fluoride-lithium fluoride-sodium
fluoride systems (liquid)

Sodium fluoride-beryllium fluoride-lithium
fluoride-zirconium fluoride systems
(liquid)

See Beryllium fluoride-lithium fluoride-sodium
fluoride-zirconium fluoride systems (liquid)

Sodium fluoride-lithium fluoride-potassium
fluoride-uranium fluorides (UF₆)-zirconium
fluoride systems (liquid)

See Uranium fluorides (UF₆)-lithium
fluoride-potassium fluoride-sodium
fluoride-zirconium fluoride systems (liquid)

Sodium fluoride-lithium fluoride-uranium
tetrafluoride-zirconium fluoride
systems

See Uranium fluorides (UF₆)-lithium
fluoride-sodium fluoride-zirconium
fluoride systems

Sodium fluoride-lithium fluoride-zirconium
fluoride systems (liquid)

See Lithium fluoride-sodium fluoride-zirconium
fluoride systems (liquid)

Sodium fluoride-nitric acid-aluminum nitrate
systems

See Nitric acid-aluminum nitrate-sodium
fluoride systems

Sodium fluoride-zirconium fluoride systems
(liquid), corrosive effects, **3**: 23

solvent properties, **3**: 23

Sodium fluozirconate, precipitation, **4**: 16-17

Sodium formate process, economic evaluation,
4: 3

sodium fluozirconate precipitation using,
4: 16-17

Sodium hydroxide, dissolution of aluminum,
4: 7-8

uranium recovery from impure uranium
tetrafluoride using, **2**: 68

Sodium hypophosphite, ruthenium volatility
control during waste calcination using, **2**: 43

Sodium nitrate, effects on Sr⁹⁰ removal by
minerals, **4**: 57

solvent properties, **3**: 8

Sodium plutonyl fluorides, preparation, **4**: 35

Sodium-potassium alloys (liquid)

See Potassium-sodium alloys (liquid)

Sodium Reactor Experiment

See Reactors (Sodium, Experiment)(SRE)

Soil-peat mixtures, sorption column use,
2: 51

Soil-sawdust mixtures, sorption column use,
2: 51

Soltrol-170, diluent use in solvent extraction,
4: 15

Solvent-extraction processes, **1**: 13-16;
2: 5-21; **3**: 1-2, 10-21; **4**: 12-16

See also Liquid-metal extraction pro-
cesses and Liquid metal-fused salt ex-
traction processes

cesium recovery from waste solutions,
4: 68

cost, **4**: 1-2

decontamination factors, solvent quality
effects, **4**: 15

diluents, **4**: 14-15

fission-product recovery, **2**: 56

fuel solution pretreatment by centrifuging,
4: 12

lectures, **3**: 12

plant design, **1**: 18-25

solvent stability, **4**: 15-16

uranium recovery from nitrate eluates,
2: 61

Sparging, hot gas, waste-disposal applications,
3: 47-8

Spectroscopy (optical emission), analysis of
uranium-fission alloys using, **2**: 29

Spheres

See Thorium oxide spheres and Thorium
oxide-uranium oxide spheres

Sponges (ceramic), waste fixation in, **4**: 63-4

Spray drying, uranium-zirconium alloy pro-
cessing, **2**: 26-7

SRE

See Reactors (Sodium, Experiment)(SRE)

Stainless steel

See also Carpenter-20 alloy

corrosion, **1**: 26, 43, 44; **2**: 15-16, 18-19;
3: 15-17, 18-19; **4**: 25, 46

by nitric acid, **4**: 21-3

in Zircflex Process, **1**: 25-6

dissolution, **1**: 8; **2**: 10, 22; **3**: 5

in fused-salt volatility process, **2**: 25

electrolytic dissolution, **3**: 9; **4**: 8-9

removal from uranium carbide fuel in
electrolytic-dissolution process, **2**: 36

stress-corrosion cracking, literature sur-
vey, **4**: 25

Stainless steel (304L), corrosion, **4**: 24-5

during calcination processes, **2**: 43

in Darex dissolver solutions, **4**: 20-1

by Darex-Purex raffinate, **4**: 21

by waste solutions, **4**: 25-6

Stainless steel (308L), corrosion by Darex-
Purex raffinate, **4**: 21

Stainless steel (316L), corrosion, **4**: 23

Stainless steel (347), corrosion, **4**: 27-8

by Darex-Purex raffinate, **4**: 20-1

by waste solutions, **4**: 25-6

Stainless steel (405), corrosion by liquid
cadmium-magnesium-zinc systems, **2**: 33

Stainless steel (tungsten-coated), thermal
cycling, **2**: 33

Stainless steel-matrix fuels, dissolution by
hydrochloric acid-nitric acid mixtures,
4: 20

- Stainless steel-nitrate solutions, calcination of wastes containing, 4: 58
- Stainless steel-uranium alloys
See Uranium-stainless steel alloys
- Stainless steel-uranium oxides (UO_2) systems
See Uranium oxides (UO_2)-stainless steel systems
- Stainless steel-uranium-zirconium alloys
See Uranium-zirconium-stainless steel alloys
- Steam, uranium carbide removal from cladding using, 4: 49
- Steam stripping, Purex wastes, 2: 48
- Steels, corrosion, 1: 43; 3: 33
- Stills, cadmium distillation, 1: 44
- Storage, criticality control, 2: 15
- fuels, economics, 4: 6
- Storage of radioactive wastes
See Waste disposal and processing
- STR process, economic evaluation, 4: 3-4
- Stress corrosion, stainless steels, literature survey, 4: 25
- waste-storage tanks, 4: 52-5
- Strontium, extraction, using liquid alloy-eutectic system, 2: 30-1
- with liquid lead-zinc alloys, 1: 40
- by liquid-metal system, 4: 45
- incorporation into glass as heat or radiation source, 2: 47-8
- removal, 2: 22; 3: 28, 44-5
- by electrolytic process, 2: 36
- by ion-exchange materials, 2: 49-50
- in melt-refining process, 4: 36
- from Purex wastes, 2: 48, 55; 4: 56
- from wastes, 1: 51, 58
- separation from wastes, 1: 61-2, 63
- sorption, by Conasauga shale, 4: 66
- by natural organic materials, 2: 51
- by Richfield sand, 4: 65-6
- Strontium-90, activity/particle-size relations for separated waste, 4: 58
- reactions with minerals, 2: 49
- separation from wastes, 2: 56; 3: 57-8; 4: 57, 67-9
- shipping, 2: 57-8
- shipping containers, 4: 69
- Strontium oxide-beryllium oxide-calcium oxide systems
See Beryllium oxide-calcium oxide-strontium oxide systems
- Strontium oxide-beryllium oxide-lanthanum oxide systems
See Beryllium oxide-lanthanum oxide-strontium oxide systems
- Strontium oxide-beryllium oxide systems
See Beryllium oxide-strontium oxide systems
- Styrene polymers, 4: 23
- Sublimation
See also Fractional sublimation processes
- molybdenum trioxide rate, radiation effects, 2: 38
- Submarine Intermediate Reactor
See Reactors (SIR)
- Submarine Thermal Reactor process, economic evaluation, 4: 3-4
- Sulfate ion, effects on strontium recovery from Purex wastes, 2: 55
- effects on uranium extraction from nitric acid solutions, 2: 61-2
- Sulfex process, chemical decladding of fuel elements, 1: 8
- corrosion problems, 1: 26; 3: 17
- Sulfex-Zirflex process, corrosion problems, 2: 18
- Sulfoxide, dibenzyl-, solvent properties, 3: 12
- Sulfoxide, di-n-octyl-, solvent properties, 3: 12
- Sulfoxide, ethyl dodecyl-, solvent properties, 3: 12
- Sulfur (liquid), waste calcination in, 4: 58
- Sulfuric acid, beryllium dissolution, 4: 8
- corrosive effects, 3: 17-18
- fuel-element dissolution, 1: 11-12
- granitic rock leaching, 4: 63-4
- solvent properties, 1: 8, 11-12; 3: 5-6, 10; 4: 8
- stainless-steel dissolution, 1: 8
- Sulfuric acid-nitric acid systems
See Nitric acid-sulfuric acid systems
- ## T
- Tanks
See Containers
- Tantalum, basket use in electrolytic dissolution process, 4: 8-9
- corrosion, 1: 43; 3: 33
- in Darex dissolver solutions, 4: 20
- by plutonium alloys, 2: 33
- hydrogen embrittlement, 4: 20
- Tantalum (tungsten-coated), thermal cycling, 2: 33
- Tantalum alloys, corrosion, 1: 43
- Tantalum-thorium alloys
See Thorium-tantalum alloys
- TBP
See Tributyl phosphate
- TBP processes
See also Purex process and Thorex process
- waste disposal, 1: 52-7
- TBP-25 waste, calcination process, 2: 43; 4: 58-9
- composition, 4: 25-6
- conversion to glasses, 4: 63
- corrosive properties, 4: 25-7
- TCE
See Ethylene, tetrachloro-
- Technetium-99, recovery from Purex wastes, 2: 56
- Technetium fluoride (TcF_5), melting point, 2: 27
- preparation by direct fluorination of metal, 2: 27
- purification by fractional sublimation, 2: 27
- solid-solid transition point, 2: 27
- Television, remote maintenance use, 4: 19
- Tellurium, release during oxidation of uranium dioxide, 4: 34-5
- removal, 2: 22; 3: 28
- during oxidation-reduction process for uranium dioxide, 4: 49
- Temperature effects, dissolution rate of uranium dioxide, 4: 10-11
- 304L stainless-steel corrosion in Darex dissolver solutions, 4: 20
- Terbium, removal, 3: 29
- solubility, 3: 31
- Tetrachloroethylene, solvent properties, 3: 11
- Tetraphenyl boron, cesium removal by, 4: 68
- Thallium-uranium alloys
See Uranium-thallium alloys
- Thermal cycling, of irradiated uranium, Kr^{86} release during, 4: 37, 40
- tungsten-coated construction materials, 2: 33
- Thermal decomposition, plutonium hexafluoride, 2: 27; 4: 34
- Thermal flowmeters
See Flow rate
- Thermodynamic properties, alloys, 4: 39-40
- bromine fluorides, 4: 35
- intermetallic compounds, 2: 29-30; 4: 39-40
- iodine pentafluoride, 4: 35
- liquid metals, review, 2: 30
- Thorex process, 4: 14
- waste calcination, costs, 2: 42
- waste disposal, 1: 52-7; 3: 55-6
- waste storage, 1: 50-1; 2: 51
- Thorium, electrorefining, 1: 73; 3: 32-3
- leaching from impregnated graphite, 1: 12
- losses in recycle, 3: 2-3, 7
- melting, 3: 29
- production, 2: 61-2
- by thorium oxide reduction, 4: 84
- recovery, 1: 42-3; 3: 11-12, 32-3; 4: 16
- from granite ores, 4: 83-4
- separation from radium, 4: 39
- solubility in liquid zinc, 1: 43; 2: 29
- solvent extraction, 4: 14-15
- solvent extraction by liquid metal-fused salt system, 4: 43
- Thorium-232, recovery, 1: 13
- Thorium alloys, corrosion by liquid plutonium alloys, 2: 33
- Thorium-aluminum alloys, production by aluminum reduction of thorium oxide, 4: 84
- Thorium carbide, oxidation, 1: 47
- reaction with zinc chloride, 4: 42
- Thorium chloride, condensation product of monazite chlorination, 2: 68
- Thorium compounds, reduction, 3: 31-2
- Thorium fluoride, complexing with uranium fluorides, 3: 27
- reduction, 4: 42
- review on preparation and properties, 2: 27
- Thorium hydroxide, firing for thorium oxide particle production, 2: 69
- Thorium-lead intermetallic compounds, crystal structure, 2: 30
- Thorium-magnesium alloys, production by magnesium reduction of thorium tetrafluoride, 4: 42
- Thorium nitrate, thorium oxide production using, 2: 68-9
- Thorium ores, chlorination, 2: 68
- leaching, 4: 83-4
- Thorium oxide, crystal properties, 4: 47-8
- dissolution, 2: 10-11
- in fused-salt volatility process, 2: 25
- processing, 2: 11
- reduction, by aluminum for thorium-aluminum alloy production, 4: 84
- in fused-salt systems, 2: 32
- by liquid magnesium-zinc alloys, 1: 41
- in liquid-metal systems, 2: 32
- to thorium by magnesium-zinc alloy, 4: 84
- Thorium oxide-plutonium oxide systems
See Plutonium oxides-thorium oxide systems
- Thorium oxide spheres, preparation, 2: 68-9
- Thorium oxide-uranium oxides spheres, preparation, 2: 68-9
- Thorium oxide-uranium oxides (UO_2) systems, dissolution, 1: 29-30
- precipitation from fused-salt solutions, 4: 48
- solubility in hydrochloric acid-nitric acid systems, 1: 8
- Thorex processing, 4: 14
- Thorium-plutonium alloys
See Plutonium-thorium alloys
- Thorium-tantalum alloys, phase studies, 4: 40
- thermodynamic properties, 4: 40
- Thorium-uranium systems, separation by solvent extraction, 4: 14
- solubility in liquid magnesium, 1: 42
- Thorium-zinc alloys, disposal in salt mines, 4: 66
- phase studies, 4: 40
- thermodynamic properties, 1: 39; 4: 40
- Thulium, removal, 3: 28
- solubility, 3: 31
- Tin fluorides, complexing with uranium fluorides, 3: 27

Tin-zirconium alloys

See also Zircaloy-2 alloy and Zircaloy-4 alloy

corrosion, 1: 26-7; 2: 8, 18; 3: 16, 18-19; 4: 24

in chloride-volatility process, 4: 21
in Darex dissolver solutions, 4: 20

Titanium 45A, corrosion, 4: 24, 27-8

Titanium fluorides, complexing with uranium fluorides, 3: 27

Toluene, diluent use in tributyl phosphate extraction processes, 4: 15

Transuranium elements, separation, 3: 12-13
solvent extraction, 4: 16

Transuranium processing facility

See TRU facility

Tributyl phosphate, compared with di-sec-butylphenyl phosphonate as solvent for uranium-thorium separation, 4: 14

degradation, 2: 12-13
in ICPP process, 1: 15-16
in Purex process, 1: 14-15
rare-earth extraction, 2: 56
Russian solvent-extraction data, 4: 14-15
solvent properties, 2: 11-12; 3: 10-11, 12-13

Tributyl phosphate-hexane solutions

See Hexane-tributyl phosphate systems

Tributyl phosphate processes

See also Purex process, TBP-25 waste, and Thorex process
waste disposal, 1: 52-7

TRIGA Reactors

See Reactors (TRIGA)

Tritide, cesium removal by, 4: 68

Trisooctyl amine, solvent properties, 3: 12-13

Trilauryl amine, solvent properties, 2: 12; 3: 12

Tri-n-octyl amine, solvent properties, 3: 12

TRU facility, 3: 12-13; 4: 16

corrosion problems, 3: 19

Tube cutters, 2: 5, 6

Tungsten, compatibility, with liquid uranium-magnesium-zinc solutions, 4: 45-6
with magnesium-zinc fused-salt systems, 2: 33
corrosion, 1: 43; 3: 33

Tungsten alloys, corrosion by liquid plutonium alloys, 2: 33

Tungsten-chromium-cobalt-nickel alloys
See Haynes 25 alloy

Tungsten coatings, use on materials in liquid metal-molten salt solutions, 2: 33

Tungsten-molybdenum alloys

See Molybdenum-tungsten alloys

U

Ultrasene, diluent use in solvent extraction, 4: 15

UNH

See Uranyl nitrate

Union of Soviet Socialist Republics, solvent-extraction work with tributyl phosphate, 4: 14-15

Uranate ions

See Hexachlorouranate ion

Uranium, autoradiographic distribution determination, 2: 33

chlorination, 4: 33

cutting, 2: 5

density of liquid, 3: 30

diffusivity in liquid zinc, 4: 39

dissolution, 1: 8-9, 29-30; 2: 7, 10-11

by nitric acid, 4: 10

extraction, 4: 12-16

using liquid aluminum-cadmium system, 4: 41-2

using liquid lead-zinc system, 2: 30-1
from ore concentrates, 2: 61-2

Kr⁸⁵ release during thermal cycling of irradiated, 4: 37, 40

leaching from impregnated graphite, 1: 12
loss minimization by waste backcycling in

Purex process, 4: 13

losses in recycle, 3: 2-3, 7

melting, 3: 29

production, 1: 70-2; 2: 61-9; 4: 72-86

by electrolytic reduction of uranium

dioxide, 2: 66; 4: 82

by magnesium reduction of uranium tetra-

fluoride, 2: 66-7

by reduction of uranium chloride, 4: 73

by uranium trichloride reduction in liquid

metal-fused salt system, 4: 83

reaction, with carbon in liquid-metal

systems, 2: 66

with propane to produce uranium dicar-

bide, 2: 64

reclamation by liquid-metal extraction from

melt-refining-process residues, 2: 32

recovery, 1: 42-3; 2: 12; 3: 10-11, 22,

25-6, 34-6

from granite ores, 4: 83-4

from impure uranium tetrafluoride, 2: 68

from ores, 2: 61-2

from slag, 1: 72

reducing-agent use, 4: 45

separation, from chromium in skull recla-

mation process, 4: 43

from fission products by chlorination,

4: 33

solubility, 3: 29

in liquid bismuth, 4: 39

in liquid cadmium, 1: 39

in liquid gallium, 4: 39

in liquid magnesium-zinc systems,

2: 29-30

in liquid-metal systems, 4: 42

in liquid zinc, 1: 43

Uranium (depleted), base charges for, as ura-

nium hexafluoride, 4: 4

Uranium (enriched), base charges for, as ura-

nium hexafluoride, 4: 4

price reduction effects on reactor fuel-cycle

cost, 4: 5

Uranium (liquid), density, 3: 30

Uranium-233, separation, 1: 13; 3: 11-12,

32-3

Uranium-aluminum alloys, production by

aluminum reduction of uranium dioxide,

4: 42, 83

Uranium-bismuth alloys, thermodynamic

properties, 1: 39-40

Uranium-bismuth alloys (liquid), fission-

product removal, 4: 45

Uranium-bismuth-zirconium alloys, phase

diagrams, 3: 29

Uranium borides (UB₂), preparation, 1: 47

Uranium-cadmium alloys, phase diagrams,

3: 29-30

thermodynamic properties, 1: 39

Uranium-cadmium intermetallic compounds,

thermodynamic properties, 4: 39

Uranium-cadmium systems (liquid), thermo-

dynamic properties, 4: 39

Uranium carbides, bibliography, 4: 78

carbon coating of, 4: 81

decladding by steam, 4: 49

electrolytic processing in fused-salt bath,

4: 49

fractional sublimation processing following

chlorination, 2: 26

leaching, 1: 12

nitridation processing, 4: 49

oxidation-reduction processing, 4: 49

production, 4: 78-82

from metallic uranium and propane,

2: 36

Uranium carbides (UC), activation by water

vapor, 4: 49

age effects on reaction rates, 2: 36-7;

3: 38

carbide-oxide-carbide process, 1: 46;

2: 35-6; 4: 49

hydrofluorination processing, 2: 26

nitridation, 1: 46; 2: 36-7; 4: 50

oxidation, 1: 46-7

precipitation with carbon from liquid-metal

solutions, 4: 80

preparation, 1: 47, 69-70; 2: 65-6

by carbothermic reduction of uranium

dioxide, 4: 78-9

by reaction of uranium with hydrocarbons,

4: 78

processing, 1: 46; 2: 35-7; 3: 37-9;

4: 49-50

by chlorination, 4: 33

pyrophoricity, 2: 37

reactions, with fused lithium chloride-

potassium chloride-zinc chloride sys-

tems, 1: 47

with liquid zinc, 1: 47

Uranium carbides (UC)-plutonium carbide

(PuC) systems, preparation, 4: 81-2

Uranium carbides (UC₂), oxidation, 1: 47

preparation, 1: 69-70; 2: 65-6

Uranium carbides (UC₂), reaction with zinc

chloride, 4: 42

Uranium-carbon systems, constitutional dia-

gram, 4: 79

Uranium chlorides (UCl₃), conversion to ura-

nium hexafluoride, 4: 34

reduction, in alumina-fused salt system,

2: 31

in fused salts, 2: 67-8

to uranium, 4: 42

to uranium in fused salt-liquid metal

system, 4: 83

Uranium chlorides (UCl₃), fractional sublima-

tion separation process, 4: 33

Uranium chlorides (UCl₃), preparation from

uranium monocarbide, 4: 33

reduction to uranium by sodium amalgam,

4: 73

Uranium chlorides (UCl₃), preparation from

uranium monocarbide, 4: 33

reaction with hydrofluoric acid, 4: 33

Uranium-chromium alloy, extraction using

magnesium-silver alloy, 4: 41, 45

Uranium-fissium alloys, phase studies, 2: 29

swelling during melt refining, 2: 28-9

Uranium fluorides, review on preparation and

properties, 2: 27

Uranium fluorides (UF₄), chemical properties,

3: 27

electrolytic reduction to metal, 1: 71-2

fluorination, 4: 34

magnesium reduction to uranium metal,

2: 67

production, 2: 63-5; 3: 63-4; 4: 76-8

uranium recovery from impure, 2: 68

Uranium fluorides (UF₄)-lithium fluoride-

potassium fluoride systems (liquid),

electrolytic-dissolution bath, 2: 36

Uranium fluorides (UF₄)-lithium fluoride-

potassium fluoride-sodium fluoride-

zirconium fluoride systems (liquid),

corrosive effects, 2: 23

Uranium fluorides (UF₄)-lithium fluoride-

sodium fluoride-zirconium fluoride sys-

tems, fluorination, 1: 33-4

Uranium fluorides (UF₄), chemical properties,

3: 27

conversion, to uranium carbides, 1: 69-70

to uranium dioxide, 1: 67-8

flow-rate instrumentation, 4: 18-19

production, by fluorination of uranium tetra-

fluoride, 4: 34

- Uranium fluorides (UF_6), production (Continued)
 by fluorination of uranium trichloride, 4: 32
 by nitrosylum hexafluorouranate reaction with bromine trifluoride, 4: 30-1
 reduction to UF_4 , 3: 63-4
 separation from plutonium hexafluoride, 4: 34
 sorption on sodium fluoride pellet bed, 4: 31-2
- Uranium hydrides, reaction with alkanes to produce uranium monocarbide, 2: 64; 4: 78
- Uranium-indium alloys, thermodynamic properties, 1: 39
- Uranium-lead alloys, thermodynamic properties, 1: 39
- Uranium-lead intermetallic compounds, crystal structure, 2: 30
- Uranium-magnesium-zinc alloys (liquid), compatibility with tungsten, 4: 45-6
 corrosive effects, 1: 43
- Uranium-molybdenum alloys, dissolution, 1: 9-10; 2: 7; 3: 6-7
- Uranium-molybdenum alloys (aluminum-clad), separation by Zircex process, 2: 25
- Uranium nitrates [$U(NO_3)_4$], preparation, 3: 63
- Uranium nitrides, carbidation, 1: 46
- Uranium ores, chlorination, 2: 61; 4: 72-3
 leaching, 2: 61-2; 4: 72-3
- Uranium oxides, direct fluorination processing, 2: 26
 hydrofluorination, 4: 34
 oxidation, iron-ion effects, 2: 61
 wet preparation process, 4: 75
- Uranium oxides-plutonium oxides systems
 See Plutonium oxides-uranium oxides systems
- Uranium oxides-thorium oxides spheres
 See Thorium oxide-uranium oxides systems
- Uranium oxides (UO_2), activation for uranium tetrafluoride production, 2: 64-5
 carbidation, 1: 46-7; 2: 64
 carbothermic reduction, 4: 49, 78-9
 chlorination, 4: 46
 coating techniques for particles, 2: 63
 conversion to uranium carbides, 1: 69-70
 criticality hazards in production, 2: 62
 crystal-growth characteristics, 2: 35
 crystal properties, 4: 47-8
 decontamination, during fluorination, 4: 34-5
 during oxidation, 4: 34-5
 direct fluorination processing, 4: 33
 dissolution, 2: 11, 22; 3: 7
 in fused-salt volatility process, 2: 25
 in molten chloride systems, 2: 34
 by nitric acid, 4: 10
 dissolution rate, temperature effects, 4: 10-11
 electrolytic reduction to uranium metal, 2: 66; 4: 82
 fluorination, 1: 36-7; 2: 63-4; 3: 25-6; 4: 33, 76-7
 fractional sublimation processing following chloridation, 2: 26
 hydrofluorination, 4: 76-7
 hydrofluorination kinetics, 2: 63-4
 leaching from graphite, 2: 11
 oxidation, 1: 45-6, 68-9
 oxidation-reduction process, 4: 49
 oxidative decanning, 2: 35
 processing, 3: 34-7
 production, 1: 66-9; 2: 62-3; 3: 61-3
 by catalytic reduction process, 4: 73-5
 by cathodic reduction of uranyl chloride, 2: 34-5
 by electrolysis of uranyl chloride, 4: 47
- by electrolytic reduction of uranium triauroxide, 4: 48
 by flame denitration process, 4: 74-5
 by hydrogen reduction, 4: 75
 reduction, 2: 66; 4: 42, 82
 with aluminum for aluminum-uranium alloy production, 4: 83
 to metal, 1: 70-2
 separation from plutonium, 4: 33-4
 solubility, 1: 45
- Uranium oxides (UO_2) (stainless-steel-clad), dechlorination with chlorine, 2: 26
 direct fluorination processing, 4: 33
- Uranium oxides (UO_2) (Zircaloy-clad), direct fluorination processing, 4: 33
- Uranium oxides (UO_2)-aluminum oxide systems, dissolution, 3: 10
- Uranium oxides (UO_2)-beryllium oxide systems, dissolution, 3: 10
 leaching, 1: 12-13
- Uranium oxides (UO_2)-carbon mixtures, consumable electrode use in uranium metal production, 2: 66
- Uranium oxides (UO_2)-Nichrome systems, dissolution, 2: 8-10
- Uranium oxides (UO_2)-niobium oxides (Nb_2O_5) systems, separation by chlorination, 4: 33
- Uranium oxides (UO_2)-plutonium oxides (PuO_2) systems
 See Plutonium oxides (PuO_2)-uranium oxides (UO_2) systems
- Uranium oxides (UO_2)-stainless steel alloys, dissolution by aqua regia, 4: 11-12
- Uranium oxides (UO_2)-stainless steel systems, dissolution, 1: 11-12
- Uranium oxides (UO_2)-thorium oxide systems
 See Thorium oxide-uranium oxides (UO_2) systems
- Uranium oxides (UO_2)-uranium oxide (U_3O_8) systems, oxidation-reduction equilibria, 4: 76
- Uranium oxides (UO_2)-zirconium oxide systems, dissolution in fused-salt volatility process, 2: 25
 separation process development, 4: 33
- Uranium oxides (UO_2), activation, 2: 64-5; 4: 76-7
 production, 1: 68-9
 reduction, 2: 62-3; 3: 61; 4: 73-8
- Uranium oxides (U_3O_8), dissolution, 1: 45
 in liquid lithium chloride-potassium chloride systems, 4: 48
 production, 1: 68-9
 reduction, 1: 54-6, 70-2; 4: 48
 in liquid magnesium-zinc alloys, 1: 40-1
 in liquid metal-fused salt system, 2: 31-2
- Uranium oxides (U_3O_8), production, 1: 68-9
- Uranium-plutonium alloys, plutonium recovery, 3: 69
- Uranium-rhenium alloys, phase studies, 4: 40
 thermodynamic properties, 4: 40
- Uranium silicides (U_3Si_2), preparation, 1: 47; 2: 66
 production, 1: 70
- Uranium silicides (USi_3), preparation, 1: 47; 2: 66
- Uranium-stainless steel alloys, dissolution, 3: 9
- Uranium-thallium alloys, thermodynamic properties, 1: 39
- Uranium-thorium systems
 See Thorium-uranium systems
- Uranium-zinc alloys, thermodynamic properties, 1: 39
- Uranium-zinc intermetallic compounds, crystallization, 4: 45
- Uranium-Zircaloy alloys (Zircaloy-clad), dissolution by hydrofluoric acid-nitric acid solutions, 4: 11
- Uranium-zirconium alloys, cutting, 2: 5
 direct fluorination, 2: 26-7
 dissolution, 1: 10-11, 30-5, 43-4; 3: 7, 8
 hydrochlorination, 4: 32
 processing, 2: 25-7; 3: 24-5; 4: 16-17, 30, 32
- Uranium-zirconium hydride systems, dissolution, 3: 7
- Uranium-zirconium-stainless steel alloys, dissolution, 1: 33-4
- Uranyl carbonate, catalytic reduction to uranium dioxide, 4: 73-4
- Uranyl chloride, reduction, 1: 66-7; 2: 34-5; 3: 61-2; 4: 47
- Uranyl(VI) ion, complex formation, concentration effects, 4: 46
 electrolytic reduction, 4: 46-7
- Uranyl nitrate, ammoniation effects on later activity of uranium trioxide, 2: 65
 corrosive effects, 3: 19
 flame reduction to uranium dioxide, 4: 74-5
- Uranyl nitrate hexahydrate-aluminum nitrate-nitric acid systems, corrosive properties, 4: 25
- Urea plastics, corrosion, 2: 19

V

- Vanadium, solubility, 3: 29
 in liquid zinc, 2: 29
- Vanadium-iron-molybdenum-nickel alloys
 See Iron-molybdenum-nickel-vanadium alloys
- Vanadium-iron-nickel alloys
 See Iron-nickel-vanadium alloys
- Vermiculite, cesium removal by, 2: 50
 strontium removal by, 2: 49
 phosphate-ion effects, 2: 50
 waste-disposal applications, 1: 51-2; 3: 55
- Vermiculite-lignite mixtures
 See Lignite-vermiculite mixtures
- Vermiculite-peat mixtures
 See Peat-vermiculite mixtures
- Viscosity, review of liquid metals, 2: 30
- Volatility processes, 1: 29-38; 2: 22-7; 3: 22-7; 4: 30-5

W

- Waste disposal and processing, 1: 50-65; 2: 40-58; 3: 41-59; 4: 19, 52-69
 adsorption processes, 4: 56-8
 backcycling, in Porex process, 4: 12-14
 in Redox process, 4: 12-13
 calcination, 2: 46; 4: 58-62
 of aluminum nitrate wastes, 2: 44
 processes, 2: 42-6
 centrifugation, 4: 57-8
 container evaluation for ocean disposal, 2: 54-5; 3: 41-2
 cooling of stored wastes, 2: 40-1
 corrosion problems, 3: 19; 4: 25-8
 costs of pot calcination, 2: 42
 deep permeable formation disposal, 4: 65-6
 deep well disposal, 2: 54
 economic aspects, 4: 55
 final disposal methods, 2: 51-5; 3: 54-6; 4: 64-7
 fixation in ceramic sponges, 4: 63-4
 ground disposal, 2: 55; 3: 42-3, 56, 57; 4: 65
 high-level-waste heating problems, 4: 66-7
 hydraulic fracturing, 2: 52-4
 incorporation into glasses, 4: 62-3
 ion-exchange processes, 2: 48-51; 4: 56-8

Waste disposal and processing (Continued)
 isotope separation, 2: 55-8
 mine disposal, 1: 59-61; 2: 51-2; 3: 55-6; 4: 66
 ocean disposal, 2: 54-5; 3: 41-2
 porous-strata disposal, 2: 54
 salt-cavity disposal, 1: 59-61; 2: 51-2; 3: 55-6; 4: 66
 seepage-pit disposal, 4: 64-5
 shale-formation disposal, 2: 52-4
 solution compositions, 4: 25-7
 steam stripping, 2: 48
 storage hazards, 2: 40-1; 4: 56
 storage-tank management, 4: 52-6
 tank design, for nonheating wastes, 4: 52, 54
 for self-heating wastes, 4: 52-4
 tank failures, 2: 40-1
 tank performance data, 4: 55
 temperature rise around line source of waste, 2: 52
 water contamination, 2: 41
 Water, contamination by radioactive waste, 2: 41
 Water vapor, reaction with uranium monocarbide, 2: 37
 uranium monocarbide activation using, 4: 49
 Wells, waste disposal in, 4: 65-6
 waste disposal in porous strata of, 2: 54
 Winlo process, 2: 66-7
 Wolfram
 See Tungsten

X

Xenon, release during melt-refining process, 2: 29; 4: 36-7
 Xenon-krypton systems
 See Krypton-xenon systems

Y

Yankee Power Reactor
 See Reactors (Yankee Power)
 Ytterbium, removal, 3: 28
 Yttrium, corrosion, 1: 43
 extraction, by liquid metal-fused salt systems, 2: 32; 4: 43
 by liquid-metal system, 4: 45
 by liquid alloy-eutectic system, 2: 30-1
 solubility, 3: 30-1
 Yttrium alloys, corrosion by liquid plutonium alloys, 2: 33
 Yttrium compounds, reduction, 3: 32
 Yttrium-zinc alloys, phase studies, 4: 40
 thermodynamic properties, 4: 40

Z

Zinc (liquid), reactions with uranium monocarbide, 1: 47
 solubilities of metals in, 2: 29
 solvent properties, 1: 43; 3: 29
 uranium diffusivity in, 4: 39

Zinc-65, removal from Hanford reactor coolant by aluminum shavings, 4: 57
 Zinc-cadmium-magnesium systems (liquid)
 See Cadmium-magnesium-zinc systems (liquid)
 Zinc-calcium alloys
 See Calcium-zinc alloys
 Zinc chloride, hexachlorouranate-ion stability in, 2: 37
 reaction, with thorium carbide, 4: 42
 with uranium carbide, 4: 42
 Zinc chloride-potassium chloride-sodium chloride systems (liquid)
 See Potassium chloride-sodium chloride-zinc chloride systems (liquid)
 Zinc chloride-potassium chloride systems (liquid)
 See Potassium chloride-zinc chloride systems (liquid)
 Zinc ferrocyanide, cesium precipitation from Purex supernatant, 2: 58
 Zinc-lead alloys
 See Lead-zinc alloys
 Zinc-magnesium systems (liquid)
 See Magnesium-zinc systems (liquid)
 Zinc-magnesium-uranium alloys (liquid)
 See Uranium-magnesium-zinc alloys (liquid)
 Zinc-plutonium alloys
 See Plutonium-zinc alloys
 Zinc-thorium alloys
 See Thorium-zinc alloys
 Zinc-uranium alloys
 See Uranium-zinc alloys
 Zinc-uranium intermetallic compounds
 See Uranium-zinc intermetallic compounds
 Zinc-yttrium alloys
 See Yttrium-zinc alloys
 Zircaloy alloy, dissolution, 3: 7-8
 in ammonium fluoride process, 4: 10
 by hydrofluoric acid-nitric acid systems, 4: 11-12
 Zircaloy-uranium alloys (Zircaloy-clad)
 See Uranium-Zircaloy alloys (Zircaloy-clad)
 Zircaloy-2 alloy, corrosion, 3: 19
 dissolution, 2: 8
 electrolytic dissolution, 3: 8; 4: 9
 Zircaloy-4 alloy, dissolution, 4: 11
 Zircex process, 2: 25-6
 corrosion problems, 2: 18
 Zirconium, corrosion, 2: 8; 3: 19
 corrosion inhibition by, 4: 46
 dissolution, 2: 22; 3: 9, 4: 8-9
 dissolution rate in fused salts following hydrofluorination, 2: 25
 extraction, using liquid alloy-eutectic system, 2: 30-1
 by liquid-metal system, 4: 45
 hydrochlorination in Zircex process, heat removal during, 2: 25-6
 ion exchange, 1: 16-17
 removal, 1: 16-17, 4: 57-8; 2: 8, 11, 22, 30-1; 3: 12, 28; 4: 45
 by electrolytic process, 2: 36
 from fuel solutions by manganese dioxide, 4: 12
 by melt-refining process, 2: 29
 by precipitation, 4: 16

from Purex waste by ion exchange, 2: 48; 4: 56
 by Thorex process, 4: 14
 solubility in liquid zinc, 2: 29
 Zirconium-95-niobium-95 mixtures
 See Niobium-95-Zirconium-95 mixtures
 Zirconium alloys, dissolution, 3: 22
 Zirconium-bismuth-cerium-magnesium alloys
 See Bismuth-cerium-magnesium-zirconium alloys
 Zirconium-bismuth-uranium alloys
 See Uranium-bismuth-zirconium alloys
 Zirconium chloride, conversion to uranium dioxide, 3: 24-5
 volatility, 1: 45
 Zirconium fluoride-beryllium fluoride-lithium fluoride-sodium fluoride systems (liquid)
 See Beryllium fluoride-lithium fluoride-sodium fluoride-zirconium fluoride systems (liquid)
 Zirconium fluoride-lithium fluoride-potassium fluoride-sodium fluoride-uranium fluorides (UF₆) systems
 See Uranium fluorides (UF₆)-lithium fluoride-potassium fluoride-sodium fluoride-zirconium fluoride systems
 Zirconium fluoride-lithium fluoride-sodium fluoride systems
 See Lithium fluoride-sodium fluoride-zirconium fluoride systems
 Zirconium fluoride-lithium fluoride-sodium fluoride systems (liquid)
 See Lithium fluoride-sodium fluoride-zirconium fluoride systems (liquid)
 Zirconium fluoride-lithium fluoride-sodium fluoride-uranium fluorides (UF₆) systems
 See Uranium fluorides (UF₆)-lithium fluoride-sodium fluoride-zirconium fluoride systems
 Zirconium hydride-uranium systems
 See Uranium-zirconium hydride systems
 Zirconium-matrix fuels, 4: 23-4
 Zirconium oxide, ion-exchange material use, 4: 16
 Zirconium oxide-uranium oxides (UO₂) systems
 See Uranium oxides (UO₂)-zirconium oxide systems
 Zirconium-stainless steel-uranium alloys
 See Uranium-zirconium-stainless steel alloys
 Zirconium-tin alloys
 See Zircaloy-2 alloy and Zircaloy-4 alloy
 Zirconium-uranium alloys
 See Uranium-zirconium alloys
 Zirconium wastes, processing by fluid-bed calcination, 2: 46
 Zirflex-Darex process
 See Darex-Zirflex process
 Zirflex process, 4: 23
 corrosion problems, 1: 25-6; 2: 15-19
 economic evaluation, 4: 1, 3
 modifications, 4: 1
 waste disposal, 1: 55-7
 Zirflex-Sulfex process
 See Sulfex-Zirflex process

